

Date: July 28, 2005 I hereby certify that, on the date indicated above, I deposited this paper with identified attachments and/or fee with the U.S. Postal Service and that it was addressed for delivery to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 by "First Class Mail" service.

Donald S. Prater  
Name (Print)

*Donald S. Prater*  
Signature

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Application of: Chano et al. ) Examiner: Unassigned  
Application No.: 10/516,558 ) Group Art Unit: Unassigned  
Filed: November 30, 2004 ) Confirmation No.: Unassigned  
Docket No.: 3190-070 ) Customer No.: 33432

For: RB1 GENE INDUCED PROTEIN (RB1CC1) AND GENE

**RESPONSE TO NOTIFICATION OF MISSING REQUIREMENTS**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

July 28, 2005

Dear Sir:

In response to the Notification of Missing Requirements Under 35 U.S.C. 371 in the United States Designated/Elected Office dated July 11, 2005, it is respectfully submitted that the English translation of the application, the declaration of the inventors, and a copy of the "sequence listing" in computer readable form was previously submitted on January 25, 2005, via Express mail service, as evidenced by the enclosed copy of applicant's PTO date-stamped post card. A copy of the previous response (except a copy of the diskette) is also enclosed. January 25, 2005 is the date that should be reflected in the file for satisfying all requirements under 35 U.S.C. § 371.

In the event that any fees are due with this paper, please charge Deposit Account No. 50-0925.

Respectfully submitted,

*Luke A. Kilyk*  
Luke A. Kilyk  
Reg. No. 33,251

Docket No.: 3190-070  
KILYK & BOWERSOX, P.L.L.C.  
53 A East Lee Street  
Warrenton, VA 20186  
Tel.: (540) 428-1701  
Fax: (540) 428-1720



## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

U.S. APPLICATION NUMBER NO.	FIRST NAMED APPLICANT	ATTY. DOCKET NO.
10/516,558	Tokuhiro Chano	3190-070

Kilyk & Bowersox  
53 A East Lee Street  
Warrenton, VA 20186

**RECEIVED**  
JUL 13 2005

KILYK & BOWERSOX, P.L.L.C.

INTERNATIONAL APPLICATION NO.	
PCT/JP03/00882	
LA. FILING DATE	PRIORITY DATE
01/30/2003	

CONFIRMATION NO. 2830  
371 FORMALITIES LETTER



\*OC000000016489947\*

Date Mailed: 07/11/2005

### NOTIFICATION OF MISSING REQUIREMENTS UNDER 35 U.S.C. 371 IN THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US)

The following items have been submitted by the applicant or the IB to the United States Patent and Trademark Office as a Designated / Elected Office (37 CFR 1.495).

- Copy of the International Application filed on 11/30/2004
- Copy of the International Search Report filed on 11/30/2004
- Copy of IPE Report filed on 11/30/2004
- Biochemical Sequence Listing filed on 11/30/2004
- U.S. Basic National Fees filed on 11/30/2004
- Priority Documents filed on 11/30/2004

**Docketed**

Due Date 9/11/05 & 9/30/05  
Dkt No 3190-070  
By JMB

The following items **MUST** be furnished within the period set forth below in order to complete the requirements for acceptance under 35 U.S.C. 371:

- Translation of the application into English. Note a processing fee will be required if submitted later than 30 months from the priority date. 7/30/05
- Oath or declaration of the inventors, in compliance with 37 CFR 1.497(a) and (b), identifying the application by the International application number and international filing date.
- A copy of the "Sequence Listing" in computer readable form has not been submitted as required by 37 CFR 1.821(e). If the effective filing date is on or after September 8, 2000, see the final rulemaking notice published in the Federal Register at 65 FR 54604 (September 8, 2000) and 1238 OG 145 (September 19, 2000). Applicant must provide an initial computer readable form (CRF) copy of the "Sequence Listing" and a statement that the content of the sequence listing information recorded in computer readable form is identical to the written (on paper or compact disc) sequence listing and, where applicable, includes no new matter, as required by 37 CFR 1.821(e), 1.821(f), 1.821(g), 1.825(b), or 1.825(d). If applicant desires the sequence listing in the instant application to be identical with that of another application on file in the U.S. Patent and Trademark Office, such request in accordance with 37 CFR 1.821(e) may be submitted in lieu of a new CRF.

**BEST AVAILABLE COPY**

ALL OF THE ITEMS SET FORTH ABOVE MUST BE SUBMITTED WITHIN TWO (2) MONTHS FROM THE DATE OF THIS NOTICE OR BY 32 MONTHS FROM THE PRIORITY DATE FOR THE APPLICATION, WHICHEVER IS LATER. FAILURE TO PROPERLY RESPOND WILL RESULT IN ABANDONMENT.

The time period set above may be extended by filing a petition and fee for extension of time under the provisions of 37 CFR 1.136(a).

For questions regarding compliance to 37 CFR 1.821-1.825 requirements, please contact:

- For Rules Interpretation, call (571) 272-0951
- For Patent Software Program Help, call Patent EBC at 1-866-217-9197 or directly at 703-305-3028 / 703-308-6845 between the hours of 6 a.m. and 12 midnight, Monday through Friday, EST.
- Send e-mail correspondence for Patent Software Program Help @ [ebc@uspto.gov](mailto:ebc@uspto.gov)

Applicant is reminded that any communications to the United States Patent and Trademark Office must be mailed to the address given in the heading and include the U.S. application no. shown above (37 CFR 1.5)

*A copy of this notice MUST be returned with the response.*

PATRICIA A BOOKER

Telephone: (703) 308-9140 EXT 204

PART 1 - ATTORNEY/APPLICANT COPY

U.S. APPLICATION NUMBER NO.	INTERNATIONAL APPLICATION NO.	ATTY. DOCKET NO.
10/516,558	PCT/JP03/00882	3190-070

FORM PCT/DO/EO/905 (371 Formalities Notice)

BEST AVAILABLE COPY

**RECEIVED**  
FEB 09 2005

KILYK & BOWERSOX, P.L.L.C.

**DT07 Rec'd PCT/PTO 25 JAN 2005**

U.S. Patent Application No. 10/516,558

Docket No. 3190-070

Filed: November 30, 2004

Applicant: CHANO et al.

Entitled: RB1 GENE INDUCED PROTEIN (RB1CC1) AND GENE

**Papers filed herewith on: January 25, 2005**

Transmittal Letter Concerning Filing Under 35 U.S.C. 371; English translation of the International Application; Preliminary Amendment (9 pages), Statement under 3 C.F.R. § 1.821, Computer-readable diskette; Executed Declaration; Information Disclosure Statement; Form PTO-1449, 4 documents, and Credit Card Payment Form.

**Express Mail Label: EV567259572US**

COMMISSIONER FOR PATENTS

Receipt is hereby acknowledged of the papers filed as indicated in connection with the above-identified case

LAK/khb

**COPY**

**DOCKETED**

**DUE DATE** \_\_\_\_\_

**DKT NO.** 3190-070

**BY** JMB

**BEST AVAILABLE COPY**

**TRANSMITTAL LETTER TO THE UNITED STATES  
DESIGNATED/ELECTED OFFICE (DO/EO/US)  
CONCERNING A FILING UNDER 35 U.S.C. 371**

ATTORNEY'S DOCKET NUMBER  
3190-070

U.S. APPLICATION NO. (If known, see 37 CFR 1.5)  
10/516,558

INTERNATIONAL APPLICATION NO.  
PCT/JP03/00882

INTERNATIONAL FILING DATE  
January 30, 2003

PRIORITY DATE CLAIMED  
June 3, 2002

TITLE OF INVENTION: RB1 GENE INDUCED PROTEIN (RB1CC1) AND GENE

APPLICANT(S) FOR DO/EO/US: Tokuhiro CHANO, Hidetoshi OKABE, and Shiro IKEGAWA

Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

1. ☐ This is a **FIRST** submission of items concerning a filing under 35 U.S.C. 371.
2. ☒ This is a **SECOND** or **SUBSEQUENT** submission of items concerning a filing under 35 U.S.C. 371.
3. ☐ This is an express request to begin national examination procedures (35 U.S.C. 371 (f)). The submission must include items (5), (6), (9) and (21) indicated below.
4. ☐ The US has been elected (Article 31).
5. ☐ A copy of the International Application as filed (35 U.S.C. 371 (c)(2))
  - a. ☐ is attached hereto (required only if not communicated by the International Bureau).
  - b. ☐ has been communicated by the International Bureau.
  - c. ☐ is not required, as the application was filed in the United States Receiving Office (RO/US).
6. ☒ An English language translation of the International Application as filed (35 U.S.C. 371 (c)(2)).
  - a. ☒ is attached hereto.
  - b. ☐ has been previously submitted under 35 U.S.C. 154(d)(4).
7. ☒ Amendments to the claims of the International Application under PCT Article 34 (35 U.S.C. 371(c)(3))
  - a. ☐ are attached hereto (required only if not communicated by the International Bureau).
  - b. ☐ have been communicated by the International Bureau.
  - c. ☐ have not been made; however, the time limit for making such amendments has NOT expired.
  - d. ☒ have not been made and will not be made.
8. ☐ An English language translation of the amendments to the claims under PCT Article 34 (35 U.S.C. 371(c)(3))
9. ☒ An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)).
10. ☐ An English language translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)).

**COPY**

**Items 11 to 20 below concern document(s) or information included:**

11. ☒ An Information Disclosure Statement under 37 CFR 1.97 and 1.98.
12. ☐ An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
13. ☒ A preliminary amendment.
14. ☐ An Application Data Sheet under 37 CFR 1.76
15. ☐ A substitute specification.
16. ☐ A power of attorney and/or address change letter.
17. ☒ A computer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C. 1.821 – 1.825.
18. ☐ A second copy of the published international application under 35 U.S.C. 154(d)(4).
19. ☐ A second copy of the English language translation of the international application under 35 U.S.C. 154(d)(4).
20. ☐ Other items or information:

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

U.S. APPLICATION NO. (if known, see 37 CFR 1.5) 10/516,558		INTERNATIONAL APPLICATION NO. PCT/JP03/00882		ATTORNEY'S DOCKET NUMBER 3190-070	
21. <input checked="" type="checkbox"/> The following fees are submitted:					
<input type="checkbox"/> a) Basic national fee ..... \$300.00				\$ 0.00	
<input type="checkbox"/> b) Examination fee ..... \$200.00				\$ 0.00	
<input type="checkbox"/> c) Search fee ..... \$500.00				\$ 0.00	
TOTAL OF ABOVE CALCULATIONS = \$ 0.00				\$ 0.00	
<input type="checkbox"/> Additional fee for specification and drawings filed in paper over 100 sheets (excluding sequence listing or computer program listing filed in an electronic medium). The fee is \$250.00 for each additional 50 sheets of paper or fraction thereof.					
Total Sheets	Extra sheets	Number of each additional 50 or fraction thereof (round up to a whole number)			
87 - 100 =	/50 =	0		x \$250.00	\$ 0.00
Surcharge of \$130.00 for furnishing the oath or declaration later than Months from the earliest claimed priority date (37 CFR 1.492(e)).				\$ 0.00	
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE		
Total claims	26 - 20 =	6	x \$50.00	\$ 300.00	
Independent claims	1 - 3 =	0	x \$200.00	\$ 0.00	
MULTIPLE DEPENDENT CLAIM(S) (if applicable)			+ \$360.00	\$	
TOTAL OF ABOVE CALCULATIONS =				\$ 300.00	
<input type="checkbox"/> Applicant claims small entity status. See 37 CFR 1.27. The fees indicated above are reduced by 1/2.				\$ 0.00	
SUBTOTAL =				\$ 300.00	
Processing fee of \$130.00 for furnishing the English translation later than months from the earliest claimed priority date (37 CFR 1.492(f)).				\$ 0.00	
TOTAL NATIONAL FEE =				\$ 300.00	
Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). \$40.00 per property +				\$ 0.00	
TOTAL FEES ENCLOSED =				<del>\$ 300.00</del>	
				Amount to be Refunded	\$
				Amount to be Charged	\$
a. <input type="checkbox"/> A check in the amount of \$ _____ to cover the above fees is enclosed.					
b. <input type="checkbox"/> Please charge my Deposit Account No. _____ in the amount of \$ _____ to cover the above fees. A duplicate copy of this sheet is enclosed.					
c. <input checked="" type="checkbox"/> The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. 50-0925.					
d. <input checked="" type="checkbox"/> Fees are to be charged to a credit card. <b>WARNING:</b> Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.					
<b>NOTE:</b> Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.					
SEND ALL CORRESPONDENCE TO					
KILYK & BOWERSOX, P.L.L.C. 53 A East Lee Street Warrenton, VA 20186			SIGNATURE: <u><i>Luke A. Kilyk</i></u> NAME: <u>Luke A. Kilyk</u>		
Phone (540) 428-1701 - Facsimile (540) 428-1720			REGISTRATION NUMBER: <u>33,251</u>		

Form PTO-1390 (REV 12-2001)

Date: January 25, 2005 Label No. EV567259572US I hereby certify that, on the date indicated above, I deposited this paper with identified attachments and/or fee with the U.S. Postal Service and that it was addressed for delivery to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 by "Express Mail Post Office to Addressee" service.

Donald S. Prater  
Name (Print)

*Donald S. Prater* *Kim Blum*  
Signature

## RB1 GENE-INDUCED PROTEIN (RB1CC1) AND GENE

## Technical Field

The present invention relates to a novel protein and  
5 polypeptide (hereunder, referred to as "novel protein  
RB1CC1") that can induce expression of a tumor-suppressor  
gene (retinoblastoma gene: RB1 gene). More specifically,  
the present invention relates to a polypeptide having all  
or a part of an amino acid sequence of a novel protein, a  
10 nucleic acid (hereunder, referred to as "RB1CC1 gene") coding  
for the polypeptide, a recombinant vector containing the  
nucleic acid, a transformant that was transformed with the  
recombinant vector, a method for producing a peptide or  
polypeptide using the transformant, an antibody against the  
15 peptide or polypeptide, a method of screening for compounds  
that utilizes these, the screened compounds, an  
activity-inhibiting compound or activity-enhancing  
compound that acts on the polypeptide or the nucleic acid,  
a pharmaceutical composition relating to these, and a method  
20 of testing or diagnosing a disease relating to these as well  
as a reagent.

## Background of the Invention

Multidrug resistance (MDR) that is resistance to  
25 treatment with anticancer agents is a major barrier to the  
successful treatments of cancer. While current

understanding of factors that contribute to origins of MDR is limited, it is considered that P-glycoprotein that is a product of an MDR-associated gene (MDR1 gene) is involved in several cancers. It is also known that in other cancers expression of P-glycoprotein correlates inversely with emergence and metastasis of the cancer. It is considered that these different effects of P-glycoprotein are subject to suppression by different gene products or conduct different interactions. The identification of genes associated with MDR is essential in order to clarify these phenomena.

#### Summary of the Invention

A problem to be solved by the present invention is to discover a gene associated with multidrug resistance to anticancer agents as described above and the gene product thereof. More specifically, an object of the present invention is to provide a novel protein and polypeptide (novel protein RB1CC1) that can induce expression of the tumor-suppressor gene (retinoblastoma gene: RB1 gene). Another object of the present invention is to provide the nucleic acid (hereunder, "RB1CC1 gene") coding for all or the part of the amino acid sequence of the novel protein, and the method for producing the protein or polypeptide (novel protein RB1CC1) using genetic engineering techniques. A further object of the present invention is to provide the

antibody against the polypeptide derived from the novel protein RB1CC1. Other objects of the present invention are to conduct screening for an inhibitor, antagonist, or activator for actions of the novel protein RB1CC1 utilizing the aforementioned substances, to provide screened compounds, and to provide the pharmaceutical composition for use in treatment of multidrug resistance (MDR) that is resistance to treatment with anticancer agents utilizing these. Another problem to be solved by the present invention is to provide the method for diagnosing a cancer cells or cancer by testing for the novel protein and polypeptide (RB1CC1 protein) that can induce expression of the tumor-suppressor gene (retinoblastoma gene: RB1 gene) or the nucleic acid (hereunder, "RB1CC1 gene") coding for all or a part of the amino acid sequence of the protein, that were clarified in the present invention. A further object of the present invention is to provide nucleic acid primers that can amplify a nucleic acid coding for all or the part of the amino acid sequence of the protein, and to provide the method for diagnosing cancer cells or cancer by testing for an amplification product of the nucleic acid using primers. A still further object of the present invention is to provide the antibody that can react with the protein or polypeptide (RB1CC1 protein), as well as an immunological assay method that uses the antibody. A further object of the present invention is to provide an assay reagent or kit

that uses the primers or the antibody to be used in the assay method.

In order to solve the above problems, the present  
5 inventors identified a gene expressing differentially in  
U-2 OS osteosarcoma cells and MDR-variant induced cells and  
determined the nucleotide sequence thereof and the amino  
acid sequence encoded by cDNA of the novel protein. Further,  
in order to verify that a similar protein is present in animals,  
10 inventors determined the amino acid sequence of a novel  
protein in mouse and the amino acid sequence encoded by cDNA  
of the novel protein. In addition, inventors prepared  
antibodies that recognize these proteins and conducted  
immunological assay in addition to assay of expression,  
15 mutation, deletion and the like for the gene, and found that  
expression of the gene and expression of the protein are  
suppressed in certain kinds of cancer cells, thereby  
completing the present invention.

That is, the present invention comprises the  
20 following:

1. A protein or polypeptide which is present in the nucleus  
of human or animal cell and which has a function that can  
induce a transcription factor function and/or expression  
of retinoblastoma gene (Rb1 gene) or a gene product thereof.
- 25 2. The human protein according to the above 1, which is a  
polypeptide or protein selected from the group consisting

of: (1) a polypeptide or protein represented by an amino acid sequence described in SEQ ID No: 1 in the sequence listing; (2) a polypeptide containing an amino acid sequence comprising at least five amino acids of the amino acid sequence of the said polypeptide or protein; (3) a polypeptide or protein having homology of at least approximately 70% at the amino acid sequence level with the said polypeptide or protein; and (4) a protein or polypeptide having a mutation or induced mutation such as a deletion, substitution or addition of one to several amino acids relative to the amino acid sequence of the polypeptide or protein according to any one of the preceding (1) to (3).

3. The animal protein according to the above 1 that is a protein derived from mouse, which is a polypeptide or protein selected from the group consisting of: (1) a polypeptide or protein represented by an amino acid sequence described in SEQ ID No: 2 in the sequence listing; (2) a polypeptide comprising at least five amino acids of the amino acid sequence of the said polypeptide or protein; (3) a polypeptide or protein having homology of at least approximately 70% at the amino acid sequence level with the said polypeptide or protein; and (4) a protein or polypeptide having a mutation or induced mutation such as a deletion, substitution or addition of one to several amino acids relative to the amino acid sequence of the said polypeptide or protein according to any one of the preceding (1) to (3).

4. A nucleic acid coding for the polypeptide or protein according to any one of the above 1 to 3, or a complementary strand thereof.
5. A nucleic acid hybridizing under stringent conditions with the nucleic acid or the complementary strand thereof according to the above 3.
6. A nucleic acid represented by a base sequence comprising at least 15 consecutive bases of the base sequence of a nucleic acid described in SEQ ID No: 3 to 4 in the sequence listing or a complementary strand thereof, wherein a polypeptide expressed by transcription of the nucleic acid is the polypeptide according to any one of the above 1 to 3.
7. A recombinant vector containing the nucleic acid according to any one of the above 4 to 6.
8. A transformant that was transformed with the recombinant vector according to the above 7.
9. A method for producing the polypeptide or protein according to any of the above 1 to 3, comprising a step of culturing the transformant according to the above 8.
10. Nucleic acid primers represented by SEQ ID Nos: 5 to 132 in the sequence listing, which hybridize under stringent conditions with the nucleic acid or the complementary strand thereof according to any one of the above 4 to 6.
11. An antibody that immunologically recognizes the polypeptide or protein according to any one of the above 1 to 3.

12. A method of screening for compounds that inhibit or enhance a function that can induce transcription factor activity of the polypeptide or protein and/or expression of RB1 gene according to any of the above 1 to 3, wherein  
5 the method uses at least one member of the group consisting of the polypeptide or protein according to any one of the above 1 to 3 and the antibody according to the above 11.
13. A method of screening for compounds that interact with the nucleic acid according to the above 4 or 6 to inhibit  
10 or enhance expression of the nucleic acid, wherein the method uses at least one member of the group consisting of the nucleic acid according to any one of the above 4 to 6, the vector according to the above 7, the transformant according to the above 8, and the nucleic acid primers according to the above 10.
- 15 14. A compound that was screened by the screening method according to the above 12 or 13.
15. A compound that inhibits or enhances a function that can induce transcription factor activity and/or expression of RB1 gene of the polypeptide or protein according to any  
20 of the above 1 to 3.
16. A compound that interacts with the nucleic acid according to any one of the above 4 to 6 to inhibit or enhance expression of the nucleic acid.
17. A pharmaceutical composition for use in treatment of  
25 multidrug resistance that is resistance to treatment with anticancer agents, wherein the pharmaceutical composition

comprises at least one member of the group consisting of the polypeptide or protein according to any of the above 1 to 3, the nucleic acid according to any one of the above 4 to 6, the vector according to the above 7, the transformant  
5 according to the above 8, the nucleic acid primers according to the above 10, the antibody according to the above 11, and the compound according to any one of the above 14 to 16.

18. A method of testing or diagnosing a disease related with  
10 expression or activity of the polypeptide or protein according to any of the above 1 to 3, wherein the method comprises a step of conducting analysis employing (a) a nucleic acid encoding the polypeptide or protein and/or (b) the polypeptide or protein in a sample, as a marker.

15 19. The method of testing or diagnosing according to the above 18, which is a method of testing cancer cells or a method of diagnosing a cancer.

20 20. The method according to the above 18 or 19 which examines expression, increase, decrease, deletion or the like of all or a part of the polypeptide or protein according to any of the above 1 to 3, wherein the method uses the antibody according to the above 11.

21. The method according to the above 18 or 19 which examines expression, mutation, deletion or insertion or the like of  
25 all or a part of a gene encoding the polypeptide or protein according to any of the above 1 to 3 through a step of

amplifying a gene encoding the polypeptide or protein according to any of the above 1 to 3 using at least one of nucleic acid primers according to the above 10.

22. The method according to any of the above 18 to 21, wherein  
5 the method combines examination of expression, increase, decrease, mutation, deletion or insertion or the like of all or a part of the tumor-suppressor gene retinoblastoma gene (RB1 gene) or the gene product thereof (RB1 protein).

23. The method according to any of the above 18 to 22, wherein  
10 the method combines examination of expression, increase, decrease, mutation, deletion or insertion or the like of all or a part of multidrug resistance gene (MDR1 gene) or the gene product thereof (MDR1 protein: P-glycoprotein).

24. The method according to any of the above 18 to 23, wherein  
15 the method combines examination of expression, increase, or decrease or the like of all or a part of the cell proliferation marker, Ki-67 protein.

25. A method that examines drug sensitivity of a cancer cell using the method according to the above 23.

20 26. A reagent and a kit for assay or diagnosis, for use in the method according to any of the above 18 to 25.

#### Brief Description of Drawings

Figure 1 shows photographs of Northern blots that  
25 examined the relation between expression of human RB1CC1 gene and MDR1 gene.

Figure 2 shows a photograph of Western blots and of cellular immunostaining showing that human RB1CC1 protein is present in nucleus.

Figure 3 shows photographs of Western blots and of  
5 cellular immunostaining showing that mouse Rblcc1 protein is present in nucleus.

Figure 4 is a diagram that examined the effect on cell proliferation resulting from treatment with the anticancer agent doxorubicin.

10 Figure 5 shows photographs of Northern blots that examined the relation between cell proliferation caused by treatment with the anticancer agent doxorubicin and RB1CC1 gene expression and RB1 gene expression.

Figure 6 is a photograph of electrophoresis of RT-PCR  
15 products that examined the relation between RB1CC1 gene expression and RB1 gene expression in various cancer cells.

Figure 7 shows photographs of Northern blots that examined the relation between RB1CC1 gene expression and RB1 gene expression in various human organs.

20 Figure 8 is a photograph of a Northern blot that examined the relation between RB1CC1 gene expression and RB1 gene expression in various mouse organs.

Figure 9 is a photograph of electrophoresis of RT-PCR products that examined the effect on RB1 gene expression  
25 caused by introduction of RB1CC1 gene.

Figure 10 is a diagram showing results obtained after

testing the effect on transcriptional activity of RB1 gene promoter region caused by RB1CC1 gene induction.

Figure 11 is a photograph of results obtained after testing loss of heterozygosity of RB1CC1 gene locus in a variety of primary breast cancers.

Figure 12 shows a photograph of electrophoresis of RT-PCR products that examined mutation of RB1CC1 gene in primary breast cancers, and a view showing the results of gene sequence analysis.

Figure 13 shows photographs of Western blots that examined expression of RB1CC1 protein and RB1 protein in primary breast cancers.

Figure 14 shows photographs of immunohistological staining that examined expression of RB1CC1 protein and RB1 protein in primary breast cancers.

Figure 15 shows diagrams illustrating the correlation between RB1CC1 as a stain indicator and Ki-67 and RB1.

#### Detailed Description of the Invention

##### (Novel protein RB1CC1)

The cDNA of the nucleic acid encoding the novel protein RB1CC1 provided according to the present invention was obtained by identifying a gene expressing differentially in U-2 OS osteosarcoma cells and MDR-variant induced cells, conducting amplification employing U-2 OS mRNA as a template using nucleic acid primers described in SEQ ID Nos: 5 to

37 in the sequence listing, and determining the amino acid sequence coded for by cDNA of the novel protein and the base sequence, to thereby obtain the cDNA as a substance having a novel amino acid sequence. The cDNA of novel protein RB1CC1  
 5 of the present invention had a length of 6.6 kb, included an open reading frame (ORF) of 4782 nucleotides, and encoded a protein comprising 1594 amino acids with a molecular weight of 180 kDa.

The novel human protein RB1CC1 had a consensus nuclear  
 10 localization signal sequence site (lysine-proline-arginine-lysine sequence: KPRK), a leucine zipper motif sequence site, and a coiled-coil structure. It was suggested that the novel human protein RB1CC1 has DNA-binding and transcription functions.

15

(Novel mouse protein Rblcc1)

Amplification was conducted employing mRNA of mouse muscle as a template using the nucleic acid primers described in SEQ ID Nos: 53 to 83 in the sequence listing, and the  
 20 amplification product was analyzed. The obtained cDNA coding for novel mouse protein Rblcc1 had a chain length of 6518 bp with an open reading frame (ORF) of 4764 bp encoding 1588 amino acids. The novel mouse protein Rblcc1 gene shared 89% homology with the novel human protein RB1CC1 gene.  
 25 Similarly to the human protein, novel mouse protein Rblcc1 had a consensus nuclear localization signal sequence site

(lysine-proline-arginine-lysine sequence: KPRK), a leucine zipper motif sequence site, and a coiled-coil structure. It was suggested that mouse novel protein Rblcc1 also has DNA-binding and transcription functions.

5

(Function of novel protein and gene)

To investigate the role of RB1CC1 gene of the present invention in MDR, RB1CC1 gene expression was compared for cases in which doxorubicin treatment was conducted for  
 10 parental U-2 OS cells, MDR variants of U-2 OS cells (U-2 OS/DX580), and U-2 OS cells introduced with MDR1 gene (U-2/DOXO35), whereby it was found that in the parental U2 OS cells and control cells introduced with a gene (U-2/Neo8) doxorubicin lowered expression of the RB1CC1 gene and induced  
 15 cell death. In contrast, in the MDR variants of U-2 OS cells, doxorubicin treatment did not exhibit an inhibitory effect on the expression level of RB1CC1 gene, cell lifetime, or cell proliferation, and in cells with the MDR1 gene the RB1CC1 gene expression was increased. In these cells, RB1CC1 gene  
 20 expression and RB1 gene expression correlated, and expression of both genes sustained the proliferation of these cells.

To examine the relation between expression of RB1 gene and the RB1CC1 gene of the present invention, expression  
 25 of both genes in 5 kinds of MDR-variants of U-2 OS human osteosarcoma cells and 24 kinds of human tumor cells (10

kinds of osteosarcoma, 4 kinds of lung cancer, 7 kinds of breast cancer, 3 kinds of blood cancer) was examined, whereby it was found that RB1CC1 gene expression strongly correlated with RB1 gene expression in all of the cells. Expression of RB1CC1 gene and RB1 gene also showed a similar correlation in Northern blot analysis of nonneoplastic tissue.

Further, exogenous expression of the RB1CC1 gene of the present invention increased RB1 gene expression in K562 cells and Jurkat cells. Expression of MDR1 gene could not be detected in these cells. Induction of RB1CC1 gene also stimulated transcriptional activity of RB1 gene promoter. Introduction of the RB1CC1 gene raised expression of RB1 gene through the stimulated activity of the RB1 gene promoter.

Considering the amino acid sequence of the novel protein RB1CC1, the nuclear locality thereof, and the expression pattern thereof, there is a possibility that the RB1CC1 gene of the present invention is a transcription factor that enhances RB1 gene expression directly or indirectly through a molecular intermediate. While analysis of promoter sequences of RB1 genes derived from human and mouse indicates the possibility of the presence of a constitutive transcription factor such as Sp1 or ATF, a transcription factor that directly regulates RB1 gene expression is not known. In about 80% of human cancers, molecules that are present in the RB1 gene pathway are

associated with the mechanism of carcinogenesis, and dysregulation of the RB1 gene plays an important role in the cancer of many people.

As shown in Table 1, human and mouse RB1CC1 genes of the present invention both contain 24 exons and 23 introns, and length 74 kb or more and 57 kb or more in human and mouse, respectively. A translation initiation position is present at the site of exon 3. The structure of the gene in mouse was clarified using primers set forth in SEQ ID Nos: 84 to 132 of the sequence listing. When we investigated the localization sites of the gene on a chromosome, we found that the gene is present at 8q11.2 on the chromosome 8 in human and at 1A2-4 on the chromosome 1 in mouse.

Table 1. Structure of RB1CC1 gene

Exon			Intron			Human Sequence			
No.	nucleic acid strand length (bp)		No.	nucleic acid strand length (kb)					
	human	mouse		human	mouse				
1	358	296	1	9.1	11.2			GCCTGCCGG	staagtgtcg
2	115	110	2	1.3	1.8	tcctttccag	TTTTCTGAGT	GTGCTGACG	staagtcaca
3	122	115	3	1.4	3.5	tttcttctag	TAACTGTATC	CAGTGCAAAC	staagtgtga
4	127	127	4	0.2	0.1	ttttttgaag	TGTGGCAGAC	TGCTGGGACG	staggtattc
5	171	171	5	7.0	3.8	aaaaatatag	GATACAAATC	GCTTGCATTG	staagatata
6	203	203	6	2.1	1.3	ttcaatatag	GAAATGTATG	AACTTACTCA	statgtttgc
7	430	427	7	5.7	3.8	gtattttaag	TTTAGGAACT	TATGAGCAGG	staagtaacg
8	171	171	8	6.3	0.5	tgctcatttag	CTTGATCCAA	GCTTGCTCAG	gtacctattt
9	185	185	9	0.3	0.2	tttctcaag	GGATTTTTAG	TCAGACTGAA	staagtgatt
10	187	187	10	0.1	0.1	tattctctag	GTGGTGTTCG	CTACAGGGAG	statgcaagt
11	82	82	11	0.3	0.1	cctcttctag	TGGGCTGGTG	AAATTATTTA	staagtgctc
12	62	62	12	1.6	1.6	ctttatacag	GGAAGTCTTT	TTCCCTTTGT	statgtattt
13	104	104	13	0.8	0.3	tttgatcacg	ACTCAAAAGC	CATTCTCAG	staagtatca
14	127	127	14	0.1	0.1	tctgtttcag	GGTCCCTTAA	TGAACAAAAG	gcaaatccaa
15	1801	1882	15	10.1	10.0	tgittttccag	GCATCTGTGA	TAGCAAAAAG	staagaatta
16	166	166	16	2.9	1.6	aatttgtaag	TCCTGCCATT	GGAACAAACG	gtctgtatct
17	109	109	17	0.1	0.1	cttgatccag	ACCAATTTTA	CGGGATAAAG	gtttgtactg
18	241	241	18	6.3	1.1	tgctcttcag	ATTGTAGAGA	TGCTGTGACA	staagtatgg
19	55	49	19	1.0	1.0	tcacttttag	AGAAAAATAT	GTTAGAACGA	staagtaaat
20	48	48	20	4.4	3.0	ccacctgcag	ACATTGCAAT	TCAAAGACTG	staagatttt
21	59	59	21	2.3	2.1	ttttttttag	ATGTCTCAGA	CTATTAGAGA	staagtattt
22	137	137	22	3.5	2.0	ctttattcag	TTTTCAGGTG	GGTGAGGGTG	staagtatca
23	71	71	23	0.8	1.6	atttcattag	CTTCAGGTGC	AGCCAAAAGC	staaaaacga
24	1401	1379				tcctctctag	GCACAAAACA		

Exon sequences are shown in upper case letters, and intron sequences are shown in lower case.

In order to detect mutations of RB1CC1 gene of the present invention, the RB1CC1 gene was analyzed using cDNA prepared from 35 cases of primary breast cancer, whereby 9 kinds of mutation were verified in 7 of cancers. There  
5 were lacks at exons 3 to 24 in all of 9 kinds of mutation, and the fragmented novel protein RB1CC1 had lost its consensus nuclear localization signal sequence site, leucine zipper motif sequence site and coiled-coil structure, and did not have functions of the fundamental novel protein  
10 RB1CC1.

Two of primary breast cancers (MMK 3 and 6) showed compound heterozygous lacks in both alleles, and it is predicted that a clearly fragmented novel protein RB1CC1 can be obtained from RB1CC1 gene with a lack. In MMK 6,  
15 there were lacks at exons 3 to 24 (nucleotides 534-5322) and exons 9 to 23 (nucleotides 1757-5187), with the respective frameshifting at codons 4 and 411. In MMK 3, there were lacks at exons 3 to 24 (nucleotides 535-5324) and exons 5 to 11 (nucleotides 849-2109), with termination  
20 occurring at codon 4 in the former, and a frame shift caused at codon 109 in the latter to result in obtainment of a protein fragment comprising 122 amino acids. Although irregular products corresponding to respective lack mutations were detected in PCR of genome DNA of cancer samples, mutations  
25 were not observed in DNA of embryonic cells, revealing that these mutations occur in somatic cells. The novel protein

RB1CC1 was not detected in these cancers, and RB1 protein was absent in MMK 6 and was significantly less abundant than normal in MMK 3. There was no loss of heterozygosity at the RB1 loci on the chromosome in either case. In the cancer  
 5 samples (MMK 12 and 29) without mutation of the RB1CC1 gene, both the novel protein RB1CC1 and RB1 protein were present. This suggests that inactivated mutation of the RB1CC1 gene causes RB1 gene expression to be insufficient and promotes dysregulation of the RB1 gene pathway, to cause canceration.

10 In other five breast cancers, (MMK 1, 15, 31, 38 and 40) also, lacks were detected in RB1CC1 gene that generated a protein fragment without function. These mutations were all heterozygotes, with loss of heterozygosity also present at the RB1CC1 loci, and since there was no expression of  
 15 RB1CC1 gene in each of the cases, it was suggested that loss of function had occurred in both alleles. Expression of RB1 protein in these cancers was clearly reduced in comparison to cases (MMK 12 and 29) without mutation of RB1CC1 gene and RB1 gene. Loss of heterozygosity at the RB1 loci  
 20 was not observed in these 5 cancers (MMK 1, 15, 31, 38, and 40).

Homozygous inactivation of the RB1CC1 gene of the present invention is associated with genesis of breast cancer. Lack mutations of the RB1CC1 gene that generated fragments  
 25 of the novel protein RB1CC1 that clearly had no function were observed in approximately 20% of primary breast cancers

examined. Two of these cancers showed plural heterozygous  
losses within the RB1CC1 gene, and the remainder showed loss  
of heterozygosity of the RB1CC1 gene. Although the novel  
protein RB1CC1 could not be detected in any of seven cancers,  
5 protein was expressed in cancers without mutation of the  
RB1CC1 gene. Irrespective of the fact that there was no  
loss of heterozygosity at the RB1 loci, in all seven cancers  
the RB1 protein was either absent or significantly decreased.

The novel protein RB1CC1 performs regulation to  
10 increase expression of the RB1 gene, and the RB1CC1 gene  
functions as a tumor suppressor in breast cancer. Further,  
abnormality or inactivation of the RB1CC1 gene leads to a  
decline in expression of RB1 gene, causing genesis and  
progression of cancer.

15 As described in the above-mentioned, since expression  
of the RB1CC1 gene and protein correlate with expression  
of RB1 gene, a more useful method of diagnosing cancer cells  
or cancer can be provided by performing tests that combine  
testing for the RB1CC1 gene and protein of the present  
20 invention with testing for expression of the RB1 gene or  
expression of the protein.

Further, by also combining tests for multidrug  
resistance gene (MDR1) or the protein thereof, the effect  
of a pharmaceutical against a cancer or cancer cells can  
25 be examined, enabling the provision of an examination method  
or a diagnostic method that is useful for selecting an

anticancer agent and predicting the effects thereof.

(Polypeptide or protein)

The novel protein of the present invention is a  
5 polypeptide or protein comprising an amino acid sequence  
represented by SEQ ID No: 1 or 2 in the sequence listing.  
The polypeptide or protein of the present invention may also  
be selected from polypeptides having a partial sequence of  
the polypeptide represented by SEQ ID No: 1 or 2 in the sequence  
10 listing. The selected polypeptide preferably has homology  
of about 70% or more, more preferably about 80% or more,  
and further preferably has homology exceeding about 90% with  
the polypeptide represented by SEQ ID No: 1 or 2 in the sequence  
listing. Selection of polypeptides having the homology can  
15 be conducted, for example, by taking expression of RB1 gene  
or RB1 protein as an indicator.

Techniques for determining homology of an amino acid  
sequence are publicly known in the art and, for example,  
a method that directly determines the amino acid sequence  
20 or a method that first determines a putative base sequence  
of a nucleic acid and then predicts the amino acid sequence  
encoded by the base sequence may be used.

For the polypeptide of the present invention, an amino  
acid sequence selected from polypeptides having a partial  
25 sequence of a polypeptide or protein comprising an amino  
acid sequence set forth in SEQ ID No: 1 or 2 in the sequence

listing can be utilized as a reagent, reference material or immunogen. The subject of the present invention is a polypeptide comprising, as a minimum unit thereof, the amino acid sequence composed of at least 5 amino acids, preferably  
5 at least 8 to 10 amino acids or more, and more preferably at least 11 to 15 or more amino acids which can be screened immunologically.

Further, by employing expression of RB1 gene or RB1 protein as the indicator, there can also be provided a  
10 polypeptide comprising an amino acid sequence having a mutation or induced mutation such as a deletion, substitution, addition or the like of one to several amino acids relative to the amino acid sequence of a polypeptide specified as described above. Methods for carrying out a deletion,  
15 substitution, addition or insertion are publicly known, and, for example, the technique of Ulmer (Science, 219: 666, 1983) can be utilized. These available peptides can also be modified to a degree that is not accompanied by a noticeable change in function, such as modification of constitutive  
20 amino groups or carboxyl groups or the like.

Polypeptides of the present invention can be used as they are in a pharmaceutical composition for regulating a function of the novel protein RB1CC1. Further, the polypeptide or protein of the present invention can be used  
25 in screening to obtain a compound that can regulate a function of the novel protein RB1CC1, for example, an inhibitor,

antagonist, activator or the like, or an antibody against the novel protein RB1CC1. In addition, a polypeptide or protein of the present invention can also be used as a reagent or reference standard.

5

(Nucleic acid)

The term "nucleic acid and a complementary strand thereof" of the present invention refers to a nucleic acid set forth in SEQ ID No: 3 or 4 in the sequence listing that  
10 codes for an amino acid sequence set forth in SEQ ID No: 1 or 2 in the sequence listing and the complementary strand for the nucleic acid, a nucleic acid hybridizing under stringent conditions with these nucleic acids, and a nucleic acid having a sequence of at least 15 consecutive base  
15 sequence derived from these nucleic acids in which a peptide encoded thereby is capable of binding with an antibody against the novel protein RB1CC1. When DNA is taken as a typical example of the nucleic acid, the term "DNA hybridizing under stringent conditions to DNA" refers to  
20 DNA that can be obtained by a publicly known method, for example, a method described in Molecular Cloning: A Laboratory Manual (Cold Spring Harbor Laboratory Press, 1989). Here the term "hybridizing under stringent conditions" refers to, for example, conditions under which  
25 a positive hybridization signal is still observed even after heating at 42 °C in a solution of 6 × SSC, 0.5% SDS and 50%

formamide, and washing at 68 °C in a solution of 0.1 × SSC and 0.5% SDS.

The term "nucleic acid of the present invention" refers to a homologous strand and complementary strand selected from information of the nucleic acid set forth in SEQ ID No: 3 or 4 in the sequence listing that encodes an amino acid sequence described in SEQ ID No: 1 or 2 in the sequence listing, and also refers to a nucleic acid sequence comprising a sequence of at least about 15 to 20 nucleotides that correspond to a region of the specified nucleotide sequence, as well as the complementary strand thereof. Determination of this useful nucleic acid sequence can be conducted by simply confirming the expressed protein utilizing a publicly known protein expression system, for example, a cell-free protein expression system, and then screening by employing binding thereof with the antibody against bioactive novel protein RB1CC1 as the indicator. As the cell-free protein expression system, for example, a ribosome system derived from germ or rabbit reticulocyte or the like can be utilized (Nature, 179, 160-161, 1957).

Each of these nucleic acids provide genetic information that is useful for producing the novel protein RB1CC1 of the present invention and the polypeptide or protein of the present invention, and they can be used as primers or probes for detecting mRNA or a nucleic acid such as a gene encoding these, or as antisense oligomers to

regulate gene expression. Further, a nucleic acid of the present invention can also be utilized as a reagent or reference standard relating to the nucleic acid.

5 (Transformant)

In addition to the cell-free protein expression system described above, by employing genetic recombination techniques using a publicly known host such as *Escherichia coli*, yeast, *Bacillus subtilis*, an insect cell or animal  
10 cell, it is possible to provide the novel protein RB1CC1 comprising the present invention and the polypeptide comprising a product derived therefrom.

Transformation can be conducted by applying publicly known means, for example, by transforming the host utilizing  
15 a plasmid, chromosome, virus or the like as a replicon. As a more preferable system, a method that conducts integration into the chromosome may be mentioned when considering genetic stability. However, as a simple and convenient method, an autonomous replication system using an extranuclear gene  
20 can be utilized. A vector can be selected according to the kind of host, and gene sequences that are objects of expression and gene sequences carrying information relating to replication and regulation can be employed as constituent elements. Constituent elements can be selected according  
25 to whether the host is a prokaryotic cell or eukaryotic cell, and a promoter, ribosome binding site, terminator, signal

sequence, enhancer and the like can be combined according to a publicly known method and used.

The transformant can be used to produce the polypeptide of the present invention by culturing the transformant after  
5 selecting optimal conditions from publicly known culture conditions for the respective hosts. While culturing may be conducted by employing as an indicator the physiological activity of the novel protein RB1CC1 to be expressed and produced and a polypeptide comprising the product derived  
10 therefrom, in particular, RB1 gene inducing activity or DNA-binding transcription factor activity, it is generally conducted by subculture or batch culture employing the quantity of transformant in the medium as an indicator.

15 (Recovery of the novel protein RB1CC1 and product derived therefrom)

Recovery from the culture medium of the novel protein RB1CC1 and the polypeptide comprising the product derived therefrom can be conducted by carrying out purification and  
20 recovery that combines techniques such as a molecular sieving, an ion column chromatography, an affinity chromatography employing binding with the antibody against the novel protein RB1CC1 as the indicator, or by a fractionation technique using alcohol or ammonium sulfate or the like that is based  
25 on difference in solubility.

(Antibody)

An antibody can be prepared by screening for an antigenic determinant of the novel protein RB1CC1 of the present invention and the polypeptide comprising the product  
5 derived therefrom. The antigenic determinant is composed of at least five amino acids, and more preferably at least 8 to 10 amino acids. The amino acid sequence need not necessarily be homologous with SEQ ID No: 1 or 2 in the sequence listing, and it is sufficient that the sequence is a site  
10 that is exposed to outside of the tertiary structure of the protein. If the exposed site is a discontinuous site, it is also effective that the amino acid sequence that is continuous with respect to the exposed site. The antibody is not particularly limited as long as it immunologically  
15 recognizes the novel protein RB1CC1 and the polypeptide comprising the product derived therefrom. The presence or absence of the recognition can be determined by a publicly known antigen-antibody binding reaction.

Production of the antibody can be conducted by inducing  
20 immunity such as humoral response and/or cellular response in an animal using the novel protein RB1CC1 of the present invention and the polypeptide comprising the product derived therefrom by itself or in a state in which it is bonded with a carrier, in the presence or absence of an adjuvant. The  
25 carrier is not particularly limited as long as the carrier itself does not produce a deleterious effect on a host, and

examples thereof include cellulose, polymerized amino acid, and albumin. As an animal to be immunized, mouse, rat, rabbit, goat, horse or the like is preferable. A polyclonal antibody can be obtained by a publicly known method for recovering  
5 antibody from serum.

Production of a monoclonal antibody can be carried out by recovering antibody-producing cells from the animal that has undergone the aforementioned immunization and introducing transformation means to publicly known  
10 constantly proliferating cells.

The polyclonal or monoclonal antibody can be bonded directly with the novel protein RB1CC1 of the present invention to enable control of the activity thereof, and control of expression of the novel protein RB1CC1 and RB1  
15 gene or protein can be easily performed. Therefore, the antibody is useful for treating or preventing a disease with which the RB1 gene product and the novel protein RB1CC1 are associated.

## 20 (Screening)

According to the novel protein RB1CC1 and the polypeptide comprising the product derived therefrom that were prepared as described above, the nucleic acid encoding these and a complementary strand thereof, the cell  
25 transformed based on information of these amino acid sequences and base sequences, and the antibody that

immunologically recognizes the novel protein RB1CC1 and the polypeptide comprising the product derived therefrom, by use of a single means or by combining a plurality of means, there can be provided means effective in screening for

5 binding with the novel protein RB1CC1 and the polypeptide comprising the product derived therefrom, a function of the novel protein RB1CC1, or an inhibitor or activator of expression of the novel protein RB1CC1. More specifically, there can be provided a method of screening for compounds

10 that inhibit or enhance expression of the polypeptide or protein and the RB1 gene or protein of the present invention by using at least one member of the group consisting of the polypeptide of the present invention and the antibody of the present invention. There can be provided a method of

15 screening for compounds that interact with the nucleic acid of the present invention to inhibit or enhance expression of the nucleic acid by using at least one member of the group consisting of the nucleic acid of the present invention, vector of the present invention, transformant of the present

20 invention, and antibody of the present invention. There can be provided a method of screening for compounds that inhibit or enhance a function of the polypeptide or protein of the present invention to regulate expression of the RB1 gene or protein by using at least one member of the group consisting

25 of the polypeptide or protein of the present invention and the antibody of the present invention. For example,

screening for the antagonist obtained by drug design based on the tertiary structure of the polypeptide, screening for an expression regulator at the genetic level that utilizes a protein expression system, screening for an antibody  
5 recognizing substance utilizing the antibody and the like can be utilized in a publicly known pharmaceutical screening system.

(Compound, pharmaceutical composition)

10 Compounds obtained by the above-described screening methods can be utilized as candidate compounds for the inhibitor, antagonist, activator or the like that regulates a function of the novel protein RB1CC1 and the polypeptide comprising the product derived therefrom to control  
15 expression of RB1 gene or protein. Compounds can also be utilized as candidate compounds for an inhibitor, antagonist, activator or the like for expression of the novel protein RB1CC1 and the polypeptide comprising the product derived therefrom at the genetic level. Examples of aforementioned  
20 candidate compounds for an inhibitor, antagonist, activator or the like include a protein, a polypeptide, a polypeptide without antigenicity, and a low molecular weight compound, and a low molecular weight compound is preferred.

Candidate compounds that were screened in the above  
25 manner can be selected in consideration of a balance between biological usefulness and toxicity to be prepared as

pharmaceutical compositions to be used for treatment of osteosarcoma, leukemia or a tumor originating from the mammary gland, prostate gland, lung, or colon or the like. Further, the novel protein RB1CC1 comprising the present invention and the polypeptide comprising the product derived therefrom, nucleic acids encoding these and complementary strands thereof, vectors containing these base sequences, and antibodies that immunologically recognize the novel protein RB1CC1 and the polypeptide comprising the product derived therefrom can be used as pharmaceutical means, by themselves, that have an inhibitory, antagonizing or activating function with respect to interaction between the novel protein RB1CC1 and RB1 gene product and are used in treatment of breast cancer, prostate cancer and the like. Here, the term "breast cancer, prostate cancer and the like" includes a benign tumor and a malignant tumor, and in this connection, at the time of formulation, publicly known formulation means may be introduced in accordance with the substance for formulation, such as the polypeptide, protein, nucleic acid or antibody.

The novel protein RB1CC1 of the present invention and the polypeptide comprising the product derived therefrom, nucleic acids encoding these and complementary strands thereof, vectors containing these base sequences, and antibodies that immunologically recognize the novel protein RB1CC1 and the polypeptide comprising the product derived

therefrom can be used as means for testing or diagnosing a disease with which expression of the polypeptide of the present invention or the activity thereof is related, such as a disease relating to expression of the novel protein RB1CC1 of the present invention or interaction with RB1 gene or the product thereof. In particular, they are useful as means for examination and diagnosis such as a diagnostic marker and/or reagent or the like for breast cancer, prostate cancer and the like. Diagnosis can be conducted by utilizing interaction or reactivity with the nucleic acid sequence encoding the novel protein RB1CC1 to determine the abundance of a nucleic acid sequence of interest, and/or determine the biodistribution for the novel protein RB1CC1, and/or determine the abundance of the novel protein RB1CC1 in a test sample. More specifically, testing can be conducted utilizing the novel protein RB1CC1 as the diagnostic marker. As a method of determination, a publicly known antigen-antibody reaction system, enzyme reaction system, PCR reaction system or the like may be used. Further, a reagent kit or the like used in a method of examination and diagnosis is also included.

(Examples)

The present invention is described in further detail hereunder on the basis of examples, however, the present invention is not limited by the following examples.

## (Example 1 cDNA of human RB1CC1)

In order to identify genes involved in MDR, we found a gene that expresses differentially in U-2 OS osteosarcoma cells and MDR-variant induced cells, to thereby identify a novel human gene. The gene was cloned using the set of primers (CC1-S1 and CC1-AS1) set forth in SEQ ID Nos: 5 and 26 and the set of primers (CC1-S2 and CC1-AS2) set forth in SEQ ID Nos: 6 and 25 in the sequence listing, and the nucleic acid sequence thereof was then determined using the primers set forth in SEQ ID Nos: 7 to 24. Further, the cDNA sequences at the 5'- and 3'-ends were identified using a commercially available rapid amplification kit for cDNA end sequences (RACE kit, manufactured by Roche) and the primers set forth in SEQ ID Nos: 27 to 37. The DNA and the amino acid sequence encoded thereby were analyzed using DNAsis Version 3.2 Sequence Analyzer (manufactured by Hitachi Software Engineering Co.) and PSORT II (<http://www.yk.rim.or.jp/~aisoai/molbio-j.html>). Results showed that the cDNA had a length of 6.6 kb including an open reading frame (ORF) of 4782 nucleotides, encoding a protein comprising 1594 amino acids with a molecular weight of 180 kDa.

## 25 (Example 2 cDNA of mouse Rblcc1)

The mRNA of mouse muscle was employed as a template

for amplification by RT-PCR, and cloning was then conducted using the set of primers (MCC1-S1 and MCC1-AS1) set forth in SEQ ID Nos: 53 and 73 and the set of primers (MCC1-S2 and MCC1-AS2) set forth in SEQ ID Nos: 54 and 72 in the sequence listing. The nucleic acid sequence was determined using primers set forth in SEQ ID Nos: 55 to 71 in the sequence listing. The cDNA of novel mouse protein Rblcc1 was then identified using a similar method to Example 1, with the exception that rapid amplification of the cDNA was conducted using the primers (MCC-ASR1, MCC-ASR2, MCC-ASR3 and INTRON1ASR) set forth in SEQ ID Nos: 74 to 77 in the sequence listing as primers for the 5'-end RACE, and the primers (MCC-SR1, MCC-SR2, MCC3-S3, MCC3-S4, MCC3-AS2 and MCC3-AS3) set forth in SEQ ID Nos: 78 to 83 as primers for the 3'-end RACE. The cDNA encoding novel mouse protein Rblcc1 has a strand length of 6518 bp including an open reading frame (ORF) of 4764 bp encoding 1588 amino acids. The gene of novel mouse protein Rblcc1 had homology of 86% at the nucleic acid level and 89% at the protein level with the gene of novel human protein RB1CC1 (see SEQ ID Nos: 1 to 4).

(Example 3 Analysis of MDR1 gene and RB1CC1 gene of the present invention)

Expression levels of RB1CC1 gene and MDR1 gene in parental U2 OS cells and several kinds of MDR-variant cells were analyzed by Northern blotting. A probe hybridizing

between nucleotide numbers 4190 and 4654 of the RB1CC1 gene sequence was used as a probe for analysis of RB1CC1 gene, and a probe hybridizing between nucleotide numbers 834 and 1119 of MDR1 gene was used for MDR1 gene. Probes were used  
5 after labeling with  $\alpha$ - $^{32}\text{P}$ -dCTP in which phosphorus at an alpha position of deoxycytidine-3-phosphate was substituted with a radioactive isotope. Glyceraldehyde-3-phosphate dehydrogenase (GAPDH) was used as the indicator of mRNA expression. The results showed  
10 that the expression levels of both genes correlated inversely (Figure 1).

(Example 4 Preparation of antibody and Western blot analysis)

15 Three kinds of synthetic polypeptide were prepared which respectively comprised amino acids 642 to 658 (RB1CC-642), 744 to 757 (RB1CC-744) and 1104 to 1118 (RB1CC-1104) of the amino acid sequence of the novel protein RB1CC1 of the present invention. Rabbits were immunized  
20 by a conventional method with substances in which a cysteine residue had been introduced at the amino terminus of each polypeptide, and antibody was then obtained. After subjecting nuclear components and cytoplasmic components of U-2 OS cells to SDS-PAGE, respectively, analysis was  
25 carried out by Western blotting using the antibody prepared above. Results showed that RB1CC1 protein of a molecular

weight of 180 kDa was present in the nucleus (Figure 2).

After subjecting nuclear components and cytoplasmic components of NIH3T3-3 cells of mouse to electrophoresis in a similar manner, Western blot analysis was conducted using the RB1CC-642 antibody. Detection of stathmin was simultaneously conducted using anti-stathmin rabbit antibody. Results showed that the Rblcc1 protein is localized in the nucleus, while stathmin is present in cytoplasm. When same cells were subjected to immunocytochemical staining using each antibody and then compared, it was found that while the nucleus was stained with the RB1CC-642 antibody, the cytoplasm was stained with the anti-stathmin rabbit antibody (Figure 3).

Above results showed that the novel protein RB1CC1 of the present invention is present in the nucleus of mammalian cells.

(Example 5 Effect of anticancer agent on expression of RB1CC1 gene of the present invention)

The influence of an anticancer agent was assessed for 4 kinds of cells that were treated with doxorubicin, including parent cells (U-2 OS), MDR variants of U-2 OS cells (U-2 OS/DX580) and U-2 OS cells introduced with the MDR1 gene (U-2/DOXO 35). The effect on cell proliferation in the presence of 450 ng/mL of the anticancer agent doxorubicin was examined. As shown in Figure 4, results indicated that

while cell proliferation was suppressed by the anticancer agent in parental U2 OS cells and control cells introduced with a gene (U-2/Neo8), the anticancer agent had no effect on MDR variants of U-2 OS cells (U-2 OS/DX580) and U-2 OS cells introduced with MDR1 gene (U-2/DOXO 35) and cell proliferation continued for 120 hours or more (Figure 4).

mRNA expression levels of cells that were obtained over time in the above-mentioned experiment were analyzed. Analysis was conducted for the novel gene RB1CC1 gene of the present invention, the RB1 gene and the MDR1 gene, respectively, in the same manner as Example 3 with the exception that expression levels of the RB1 gene were detected using a probe hybridizing to the site at nucleotides 336 to 675 of the nucleotide sequence of human RB1 mRNA. Results are shown in Figure 5. For parental U2 OS cells and control cells introduced with a gene (U-2/Neo8) for which the effect of the anticancer agent was observed, expression of the RB1CC1 gene decreased over time. In contrast, in MDR variants of U-2 OS cells (U-2 OS/DX580) and U-2 OS cells introduced with MDR1 gene (U-2/DOXO 35), expression level of RB1CC1 gene was not inhibited by treatment with doxorubicin, and expression of RB1CC1 gene increased. In these cells, RB1CC1 gene expression and RB1 gene expression correlated (Figure 5).

25

(Example 6 Expression of RB1 gene and RB1CC1 gene of the

present invention)

The expression of RB1CC1 gene and RB1 gene in various cancer cells was assessed by semi-quantitative RT-PCR. Cell lines used were SARG, IOR/OS9, 10, 14, 15, 18, MOS (these  
5 were obtained from surgical samples of advanced human osteosarcoma), Saos-2, HOS, MCF-7, T-47D, BT-20, SK-BR3, ZR75-1, MDA-MB-231, Daudi, Jurkat and K562 (these were purchased from the American Type Culture Collection), NZK-K1 (this was established from breast cancer tissue of a 46-year  
10 old female), LK2, QG56, EBC1 and SBC2 (these were provided by Doctor Tatsuhiko Narita of Aichi Cancer Center). 2 µg of RNA was extracted from each cell line, and subjected to 22 to 30 cycles of RT-PCR for amplification. Publicly known primers were synthesized and used as primers for the RB1  
15 gene (Sauerbrey et al., 1996). The combination of primers set forth in SEQ ID Nos: 19 and 20 in the sequence listing (CC1-S and CC1-AS) were used as primers for amplification of RB1CC1.  $\beta_2$ -microglobulin was used as a control. In all of these cells, expression of RB1CC1 gene correlated closely  
20 with that of RB1 gene. Figure 6 shows results for one case of normal leukocyte and six cancer cells: T-47D, MCF7, NZK-K1, Daudi, K562 and Jurkat (Figure 6).

(Example 7 Expression of RB1CC1 gene and RB1 gene of the  
25 present invention in organs)

Northern blot analysis was conducted for RB1CC1 gene

and RB1 gene expressing in nonneoplastic tissue of human brain, heart, skeletal muscle, colon, thymus, spleen, kidney, liver, small intestine, placenta, lung and leukocyte, respectively, using commercially available MTN Blots (manufactured by Clontech). Results are shown in Figure 7. Both genes were expressed strongly in heart and skeletal muscle, while expression was weak in colon, small intestine, lung and leukocyte. However, expression of RB1CC1 gene and RB1 gene correlated. Northern blot analysis was also conducted for Rb1cc1 gene expressing in respective tissues of heart, brain, spleen, lung, liver, skeletal muscle, kidney and testis of mouse. Results are shown in Figure 8. Transcription products of 6.2 kb and 6.8 kb were expressed strongly in heart, while expression was observed to a certain extent in kidney, liver and skeletal muscle. The principal expression in testis was 6.2 kb, while expression was weak in lung and spleen (Figure 7, Figure 8).

(Example 8 Expression of RB1 gene induced by introduction of RB1CC1 gene of the present invention)

Jurkat and K562 cells that had weak expression levels for both RB1CC1 gene and RB1 gene among cells shown in Example 6 were subjected to exogenous introduction of RB1CC1 gene to examine changes in the expression of RB1 gene. A 4.9-kb gene that included the complete coding region of the RB1CC1 molecule was incorporated into pCR3.1-Uni vector

(manufactured by Invitrogen), which was then cloned to prepare an RB1CC1 expression vector (pCR-RB1CC). The thus-prepared expression vector was incorporated into K562 and Jurkat cells to prepare RB1CC1 transformed cells. A control was prepared by incorporating lac Z gene into pCR3.1-Uni vector. Respective expression levels of RB1CC1 gene and RB1 gene in parent cells and transformed cells (cells introduced with RB1CC1 gene) were examined in a similar manner to Example 6. Figure 9 shows the results. Although expression of both RB1CC1 gene and RB1 gene was weak in untransformed cells and cells into which the lac Z gene was incorporated, it was found that in cells incorporated with RB1CC1 gene, the RB1CC1 gene expression was strong as expected and the RB1 gene was also strongly expressed, showing that expression of the RB1 gene was also induced by introduction (exogenous expression) of the RB1CC1 gene (Figure 9).

(Example 9 RB1 gene promoter transcriptional activity of RB1CC1 gene of the present invention)

We examined whether introduction of the RB1CC1 gene enhanced the transcriptional activity of the promoter region of RB1 gene. A gene of RB1 promoter region of approximately 2 kb was amplified with the pair of primers 5'-GAA GAT CTT TGA AAT TCC TCC TGC ACC A-3' (Bgl.RbPro-S) and 5'-CCC AAG CTT AGC CAG CGA GCT GTG GAG-3' (Hind.RbPro-AS), and

incorporated into PicaGene Basic vector 2 (manufactured by Toyō Ink Mfg. Co., Ltd.). Then, RB1 promoter which controls expression of firefly luciferase was used to prepare pGV-RbPro vector. The prepared pGV-RbPro vector was then

5 retranscribed with pRL-SV40 encoding the sea pansy luciferase gene, as an internal control, and incorporated into K562 cell using LIPOFECTAMINE PLUS reagent (manufactured by GIBCO-BRL). Results of analysis conducted after 48 hours using a double luciferase assay system (Toyo

10 Ink Mfg. Co., Ltd.) showed that K562 cell introduced with RB1CC1 gene exhibited strong luciferase activity compared to K562 cell incorporated with lac Z as a control, showing that introduction of the RB1CC1 gene enhanced the transcriptional activity of RB1 gene promoter (Figure 10).

15

(Example 10 Loss of heterozygosity at locus (D8S567) of RB1CC1 gene in primary breast cancer)

DNA samples of cancer tissue and genome DNA from same patients were amplified by PCR and the amplification products

20 were analyzed using 8% urea-denatured polyacrylamide gel electrophoresis. Results obtained by silver staining after electrophoresis are shown in Figure 11. While two bands were observed for the genome DNA of each patient to indicate retention of heterozygosity, only one band was detected in

25 five cases of DNA of cancer tissue, indicating loss of heterozygosity (Figure 11).

(Example 11 Analysis of mutation of RB1CC1 gene of the present invention in breast cancer)

Mutations of RB1CC1 gene were identified by analyzing the genetic sequence of cDNA samples that were amplified using ELONGASE System (manufactured by GIBCO-BRL) with the pair of primers (CC1-S2 and CC1-AS2) set forth in SEQ ID Nos: 6 and 25 that were used in Example 1, using ABI PRISM 310 genetic analyzer and the primers set forth in SEQ ID Nos: 7 to 24 in the sequence listing. As a result, 7 cases of mutation were verified among 35 cases of breast cancer, and 9 kinds of variants were verified. This result was reconfirmed using primers set forth in SEQ ID Nos: 38 to 52. Results are shown in Table 2.

Table2. Mutations of RB1CC1 gene in primary breast cancer

sample name	nucleotide mutation	location (exon)	predicted influence	genome DNA	State of <i>RB1CC1</i> gene		State of <i>RB1</i>	
					allele	protein	LOH	protein
MMK3	c.11,480del	3-24	Y45X4	wild type	plural heterozygous deletions	(-)	(-)	↓ ↓
	c.328,1585del	5-11	P109A/K122					
MMK6	c.10,479del	3-24	Y45X48	wild type	plural heterozygous deletions	(-)	(-)	(-)
	c.1233,4633del	9-23	D411A/K431					
MMK1	c.957,4785del	7-24	M319A/K368	wild type	plural heterozygous deletions	(-)	(-)	↓ ↓
MMK15	c.1635,4719del	12-24	S545A/K557	wild type	plural heterozygous deletions	(-)	(-)	(-)
MMK31	c.212,4188del	5-24	I716X/K111	wild type	plural heterozygous deletions	(-)	(-)	(-)
MMK38	c.241,4621del	8-22	C815A/K99	wild type	plural heterozygous deletions	(-)	(-)	↓ ↓
MMK40	c.591,4678del	7-23	S197A/K212	wild type	plural heterozygous deletions	(-)	(-)	↓ ↓

(-): absent, ↓ ↓ : significantly decreased  
LOH: loss of heterozygosity

15

(Example 12)

Figure 12 shows results of analysis of PCR products for MMK6 in which mutation was observed in RB1CC1 gene and

MMK29 in which mutation was not observed among samples analyzed in Example 11, as well as the results of genetic sequence analysis corresponding thereto. It was found that a gene of 4.9 kb expressed in MMK29 that was without mutation, while the 4.9-kb expression was not observed in MMK6 with mutation and expression of gene fragments (1456 bp and 98 bp) was observed (Figure 12).

(Example 13 Analysis by Western blotting)

From the samples analyzed in Example 11, expression of the novel protein RB1CC1 and the RB1 protein was verified by Western blotting in 3 cancers (MMK6, MMK40, MMK38) in which mutation was observed in RB1CC1 gene and 2 cancers (MMK12, MMK29) in which mutation was not observed. After subjecting extracted protein to 5% SDS-polyacrylamide gel electrophoresis, and then transferring to PVDF membrane, reaction was conducted with the anti-human RB1CC1 antiserum ( $\alpha$ -RB1CC-642) prepared in Example 4. The RB1 protein was reacted with RB1 monoclonal antibody (G3-245, manufactured by PharMingen Inc.). After reaction, detection was carried out using ECL reagent (manufactured by Amersham Biosciences). The results are shown in Figure 13. While novel protein RB1CC1 having a molecular weight of 180 kDa and RB1 protein of a molecular weight of 110 to 116 kDa both expressed in MMK12 and MMK29 without mutation, in contrast, expression of either protein was not observed in any of 3 cancers with

a mutation (Figure 13).

(Example 14 Immunohistological staining)

Immunohistological staining was conducted for 2  
5 cancers (MMK3, MMK6) in which mutation in RB1CC1 gene was  
observed and 1 cancer (MMK 12) in which mutation was not  
observed among samples analyzed in Example 11. The antibody  
used for reaction was the same as that in Example 13, and  
the antibody was reacted with tissue sections prepared from  
10 paraffin blocks obtained from each of cancer samples. As  
shown in Figure 14, the expression levels of novel protein  
RB1CC1 and RB1 protein correlated, and it was verified that  
expression levels were clearly lower in 2 cancers (MMK3,  
MMK6) in which mutation in RB1CC1 gene was observed compared  
15 to the cancer (MMK 12) in which mutation was not observed  
(Figure 14).

(Example 15)

54 samples of primary breast cancer tissue were assayed  
20 by immunohistological staining in a similar manner to Example  
14, and the RB1CC1 protein was not detected in 8 samples  
(corresponding to 15%). Then, RB1 protein expression was  
absent or significantly lowered in all of the samples.

For 46 cases expressing RB1CC1 protein, the RB1 protein  
25 was simultaneously expressed in 45 cases. When the RB1  
protein expression was compared with the RB1CC1 positive

group and negative group by stain indication using immunohistological staining (indication showing as a percentage the ratio of the number of cells stained among 1000 or more cells), the RB1CC1 positive group and negative  
5 group were found to show a positive correlation with RB1CC1 expression, with  $78.6 \pm 13.9\%$  and  $13.6 \pm 12.1\%$ , respectively (Figure 15a). Meanwhile, when immunohistological staining for Ki-67 was conducted using mouse monoclonal antibody (NCL-Ki-67-MMI, manufactured by Novocastra Inc.), the stain  
10 indication was  $20.3 \pm 12.8\%$  for the RB1CC1 positive group and  $65.0 \pm 12.2\%$  for the negative group, showing a clearly inverse correlation with RB1CC1 expression (Figure 15b).

These results indicate that in cancers in which expression of RB1CC1 protein is suppressed, the cell  
15 proliferation marker Ki-67 is expressed in large amounts, and proliferation of cancer cells flourishes. It was thus found that assaying using a combination of RB1CC1 protein and Ki-67 is useful for cancer diagnosis.

20 By testing for the novel gene (RB1CC1 gene) of the present invention and the protein (RB1CC1) thereof, information that is useful for the diagnosis of cancer cell proliferation and cancer can be provided.

## Claims

1. A protein or polypeptide which is present in nucleus of human or animal cell and which has a transcription factor  
5 function and/or a function that can induce expression of retinoblastoma gene (RB1 gene) or a gene product thereof.

2. The human protein according to claim 1, which is a polypeptide or protein selected from a group consisting of:  
10 (1) a polypeptide or protein represented by an amino acid sequence set forth in SEQ ID No: 1 in the sequence listing;  
(2) a polypeptide containing an amino acid sequence comprising at least five amino acids of the amino acid sequence of the polypeptide or protein; (3) a polypeptide  
15 or protein having homology of at least approximately 70% at the amino acid sequence level with the polypeptide or protein; and (4) a protein or polypeptide having a mutation or induced mutation such as a deletion, substitution or addition of one to several amino acids relative to the amino  
20 acid sequence of the polypeptide or protein according to any one of the preceding (1) to (3).

3. The animal protein according to claim 1 that is a protein derived from mouse, and which is a polypeptide or protein  
25 selected from the group consisting of: (1) a polypeptide or protein represented by an amino acid sequence set forth

in SEQ ID No: 2 in the sequence listing; (2) a polypeptide containing an amino acid sequence comprising at least five amino acids of the amino acid sequence of the polypeptide or protein; (3) a polypeptide or protein having homology  
5 of at least approximately 70% at the amino acid sequence level with the polypeptide or protein; and (4) a protein or polypeptide having a mutation or induced mutation such as a deletion, substitution or addition of one to several amino acids relative to the amino acid sequence of the  
10 polypeptide or protein according to any one of the preceding (1) to (3).

4. A nucleic acid coding for the polypeptide or protein according to any one of claims 1 to 3, or a complementary  
15 strand thereof.

5. A nucleic acid hybridizing under stringent conditions with the nucleic acid according to claim 3 or the complementary strand thereof.

20

6. A nucleic acid represented by a base sequence comprising at least 15 consecutive bases of the base sequence of a nucleic acid set forth in SEQ ID Nos: 3 to 4 in the sequence listing or a complementary strand thereof, wherein a polypeptide  
25 expressed by transcription of the nucleic acid is the polypeptide according to any one of claims 1 to 3.

7. A recombinant vector containing the nucleic acid according to any one of claims 4 to 6.

5 8. A transformant that was transformed with the recombinant vector according to claim 7.

9. A method for producing the polypeptide or protein according to any one of claims 1 to 3, comprising a step  
10 of culturing the transformant according to claim 8.

10. Nucleic acid primers set forth in SEQ ID Nos: 5 to 132 in the sequence listing, which hybridize under stringent conditions with the nucleic acid according to any one of  
15 claims 4 to 6 or the complementary strand thereof.

11. An antibody that immunologically recognizes the polypeptide or protein according to any one of claims 1 to 3.

20

12. A method of screening for compounds that inhibit or enhance a function that can induce transcription factor activity and/or expression of RB1 gene of the polypeptide or protein according to any of claims 1 to 3, wherein the  
25 method uses at least one member of the group consisting of the polypeptide or protein according to any one of claims

1 to 3 and the antibody according to claim 11.

13. A method of screening for compounds that interact with the nucleic acid according to claim 4 or 6 to inhibit or  
5 enhance expression of the nucleic acid, wherein the method uses at least one member of the group consisting of the nucleic acid according to any one claims 4 to 6, the vector according to claim 7, the transformant according to claim 8, and the nucleic acid primers according to claim 10.

10

14. A compound that was screened by the screening method according to claim 12 or 13.

15. A compound that inhibits or enhances transcription factor  
15 activity and/or a function that can induce expression of RB1 gene of the polypeptide or protein according to any of claims 1 to 3.

16. A compound that interacts with the nucleic acid according  
20 to any one of claims 4 to 6 to inhibit or enhance expression of the nucleic acid.

17. A pharmaceutical composition for use in treatment of multidrug resistance that is resistance to treatment with  
25 anticancer agents, wherein the pharmaceutical composition comprises at least one member of the group consisting of

the polypeptide or protein according to any of claims 1 to 3, the nucleic acid according to any one of claims 4 to 6, the vector according to claim 7, the transformant according to claim 8, the nucleic acid primers according to claim 10, 5 the antibody according to claim 11, and the compound according to any one of claims 14 to 16.

18. A method of testing and diagnosing a disease related with expression or activity of the polypeptide or protein 10 according to any of claims 1 to 3, wherein the method comprises a step of conducting analysis employing (a) a nucleic acid encoding the polypeptide or protein and/or (b) the polypeptide or protein, as a marker in a sample.

15 19. The method of testing and diagnosing according to claim 18, which is a method of testing cancer cells or a method for diagnosing a cancer.

20 20. The method according to claim 18 or 19 which detects expression, increase, decrease, lack or the like of all or a part of the polypeptide or protein according to any of claims 1 to 3, wherein the method uses the antibody according to claim 11.

25 21. The method according to claim 18 or 19 which detects expression, mutation, lack or insertion or the like of all

or a part of a gene encoding the polypeptide or protein according to any of claims 1 to 3 through a step of amplifying a gene encoding the polypeptide or protein according to any of claims 1 to 3 using at least one of nucleic acid primers  
5 according to claim 10.

22. The method according to any of claims 18 to 21, wherein the method combines assay of expression, increase, decrease, mutation, lack or insertion or the like of all or a part  
10 of tumor-suppressor gene retinoblastoma gene (RB1 gene) or the gene product thereof (RB1 protein).

23. The method according to any of claims 18 to 22, wherein the method combines assay of expression, increase, decrease,  
15 mutation, lack or insertion or the like of all or a part of multidrug resistance gene (MDR1 gene) or the gene product thereof (MDR1 protein: P-glycoprotein).

24. The method according to any of claims 18 to 23, wherein  
20 the method combines assay of expression, increase, or decrease or the like of all or a part of the cell proliferation marker, Ki-67 protein.

25. A method that tests drug sensitivity of a cancer cell  
25 using the method according to claim 23.

26. A kit and a reagent for assay or diagnosis, for use in the method according to any of claim 18 to 25."

## ABSTRACT

To provide a novel gene and protein involved in multidrug resistance in cancer, to elucidate functions of the gene and protein, to provide methods of detecting the gene and antibody against the protein and of testing and diagnosing cancer using the gene and antibody, we found a novel protein (RB1CC1) or polypeptide and gene thereof present in nucleus of human or animal cells and having transcription factor functions and/or functions inducing expression of retinoblastoma-1 gene (RB1 gene) or the gene product. We determined the amino acid sequence and cDNA sequence, conducted gene amplification and detection with primers hybridizing with the gene, tested for expression and mutation of the gene, discovered the gene relates to cancer cell proliferation and assayed cancers, prepared antibody against the protein and detected the protein using the antibody, whereby we found a relation between the protein and cancer cell proliferation, and assayed cancers.

Drawings

Fig. 1




Fig. 2

**RB1CC1**  
(180 kDa)



**Cytoplasm**

**Nucleus**




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13








Fig. 14

**RB1CC1**



**RB1**



**MMK12**




**MMK6**



**MMK3**

Fig. 15



Docket No. 3190-070

Kilyk &amp; Bowersox, P.L.L.C.

## Declaration and Power of Attorney for Patent Application

特許出願宣言書及び委任状

Japanese Language Declaration

日本語宣言書

私は、以下に記名された発明者として、ここに下記の通り宣言する：

As a below named inventor, I hereby declare that:

私の住所、郵便の宛先そして国籍は、私の氏名の後に記載された通りである。

My residence, post office address and citizenship are as stated next to my name.

下記の名称の発明について、特許請求範囲に記載され、且つ特許が求められている発明主題に関して、私は、最初で、最先且つ唯一の発明者である（唯一の氏名が記載されている場合）か、或いは最初、最先且つ共同発明者である（複数の氏名が記載されている場合）と信じている。

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

RB1 GENE INDUCED PROTEIN (RB1CC1) AND GENE

上記発明の明細書はここに添付されているが、下記の欄がチェックされている場合は、この限りでない：

the specification of which is attached hereto unless the following box is checked:

☐ \_\_\_\_\_ の日に出願され、  
この出願の米国出願番号または PCT 国際出願番号は、  
\_\_\_\_\_ であり、且つ  
\_\_\_\_\_ の日に補正された出願（該当する場合）

☒ was filed on January 30, 2003  
as United States Application Number or  
PCT International Application Number  
PCT/JP03/00882 and was amended on  
\_\_\_\_\_ (if applicable).  
(now assigned U.S. Patent  
Application No. 10/516,558)

私は、上記の補正書によって補正された、特許請求範囲を含む上記明細書を検討し、且つ内容を理解していることをここに表明する。

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

私は、連邦規則法典第 37 編規則 1.56 に定義されている、特許性について重要な情報を開示する義務があることを承認する。

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

## Japanese Language Declaration

## 日本語宣言書

私は、ここに、以下に記載した外国での特許出願または発明者証出願、或いは米国以外の少なくとも一国を指定している米国法典第35編第365条(a)によるPCT国際出願について、同第119条(a)(b)項又は第365条(b)項に基づいて優先権の利益を主張するとともに、優先権を主張する本出願の出願日より前の出願日を有する外国で特許出願または発明者証出願、或いはPCT国際出願については、いかなる出願も、下記の枠内をチェックすることにより示した。

## Prior Foreign Application(s)

外国での先行出願

JP2002-161400  
(Number)  
(番号)

Japan  
(Country)  
(国名)

03/06/2002  
(Day/Month/Year Filed)  
(出願日/月/年)

Priority  
Claimed  
優先権主張

YES NO

あり なし

☒ ☐

JP2002-214978  
(Number)  
(番号)

Japan  
(Country)  
(国名)

24/07/2002  
(Day/Month/Year Filed)  
(出願日/月/年)

☒ ☐

\_\_\_ 他の優先権出願については添付のリスト参照

\_\_\_ See attached list for additional prior foreign applications.

私は、ここに、下記のいかなる米国仮特許出願についても、その米国法典第35編第119条(e)項の利益を主張する。

I hereby claim the benefit under Title 35, United States Code, Section 119(e) of any United States provisional application(s) listed below.

(Application No.)  
(出願番号)

(Filing Date)  
(出願日)

(Application No.)  
(出願番号)

(Filing Date)  
(出願日)

私は、ここに、下記のいかなる米国出願についても、その米国法典第35編第120条に基づく利益を主張し、又米国を指定するいかなるPCT国際出願についても、その同第365条(c)に基づく利益を主張する。また、本出願の各特許請求の範囲の主題が、米国法典第35編第112条第1段に規定された態様で、先行する米国出願又はPCT国際出願に開示されていない場合においては、その先行出願の出願日と本国内出願日またはPCT国際出願日との間の期間中に入手された情報で、連邦規則法典第37編規則1.56に定義された特許性に関する重要な情報について開示義務があることを承認する。

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s), or 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Code Section 112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of application.

(Application No.)  
(出願番号)

(Filing Date)  
(出願日)

(Status: Patented, Pending, Abandoned)  
(現況: 特許許可、係属中、放棄)

(Application No.)  
(出願番号)

(Filing Date)  
(出願日)

(Status: Patented, Pending, Abandoned)  
(現況: 特許許可、係属中、放棄)

私は、ここに表明された私自身の知識に係わる陳述が真実であり、且つ情報と信ずることに基づく陳述が、真実であると信じられることを宣言し、さらに、故意に虚偽の陳述などを行った場合は、米国法典第18編第1001条に基づき、罰金または拘禁、若しくはその両方により処罰され、またそのような故意による虚偽の陳述は、本出願またはそれに対して発行されるいかなる特許も、その有効性に問題が生ずることを理解した上で陳述が行われたことを、ここに宣言する。

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. 1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

COPY

Docket No. 3190-070

Kilyk &amp; Bowersox, P.L.L.C.

## Declaration and Power of Attorney for Patent Application

特許出願宣言書及び委任状

Japanese Language Declaration

日本語宣言書

委任状： 私は本出願を審査する手続を行い、且つ米国特許商標庁との全ての業務を遂行するために、記名された発明者として、下記の弁護士及び/または弁理士を任命する。

POWER OF ATTORNEY: As a named inventor, I hereby appoint The following attorney(s) and/or agent(s) to prosecute this Application and transact all business in the Patent and Trademark Office connected therewith.

33432

米国特許商標庁

33432

PATENT TRADEMARK OFFICE

全ての通信は下記の住所へ送付されたい。

Please direct all communications to the following address:

Kilyk & Bowersox P.L.L.C.  
53 リーの東の通り  
Warrenton の VA 20186

KILYK & BOWERSOX, PLLC  
53 A East Lee Street  
Warrenton, VA 20186  
(Tel) 540-428-1701

唯一または第一発明者氏名

発明者の署名

日付

Full name of sole or first inventor

Tokuhiro CHANO

Signature

Date '04 Dec 13

住所

国籍

郵便の宛先

Residence

9-34-809, Nomura 5-chome, Kusatsu-shi, Shiga 525-0027 Japan

Citizenship

Japanese

Post Office Address

Same as above

第二共同発明者がいる場合、その氏名

発明者の署名

日付

Full name of second joint inventor, if any

Hidetoshi OKABE

Signature

Date '04 Dec 13

住所

国籍

郵便の宛先

Residence

101-5, Momoyamaminamioshima-cho, Fushimi-ku,

Kyoto-shi, Kyoto 612-8017 Japan

Citizenship

Japanese

Post Office Address

Same as above

第三共同発明者がいる場合、その氏名

発明者の署名

日付

Full name of third joint inventor, if any

Shiro Ikegawa

Signature

Date '04 Dec 20

住所

国籍

郵便の宛先

Residence

12-22-201, Kamiosaki 1-chome, Shinagawa-ku,

Tokyo 141-0021 Japan

Citizenship

Japanese

Post Office Address

Same as above

BEST AVAILABLE COPY

Date: January 25, 2005 Label No. EV567259572US I hereby certify that, on the date indicated above, I deposited this paper with identified attachments and/or fee with the U.S. Postal Service and that it was addressed for delivery to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 by "Express Mail Post Office to Addressee" service.

Donald S. Prater  
Name (Print)

*Donald S. Prater*  
Signature

# IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:	Chano et al.	)	Examiner:	Unassigned
		)		
Application No.:	10/516,558	)	Group Art Unit:	Unassigned
		)		
Filed:	November 30, 2004	)	Confirmation No.:	Unassigned
		)		
Docket No.:	3190-070	)	Customer No.:	33432

For: RB1 GENE INDUCED PROTEIN (RB1CC1) AND GENE

## PRELIMINARY AMENDMENT

# COPY

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

January 25, 2005

Sir:

Prior to examination of the above-identified application on the merits, applicants respectfully request that the application be amended as follows:

**Amendments to the Specification** begin on page 2 of this paper.

**Amendments to the Claims** are reflected in the listing of claims which begins on page 3 of this paper.

**Remarks/Arguments** begin on page 9 of this paper.

COPY

**Amendments to the Specification:**

*On page 1, after the title, please insert the following paragraph:*

This application is a National Stage Application of PCT/JP03/00882, filed January 30, 2003.

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (original) A protein or polypeptide which is present in nucleus of human or animal cell and which has a transcription factor function and/or a function that can induce expression of retinoblastoma gene (RB1 gene) or a gene product thereof.
2. (original) The human protein according to claim 1, which is a polypeptide or protein selected from a group consisting of: (1) a polypeptide or protein represented by an amino acid sequence set forth in SEQ ID No: 1 in the sequence listing; (2) a polypeptide containing an amino acid sequence comprising at least five amino acids of the amino acid sequence of the polypeptide or protein; (3) a polypeptide or protein having homology of at least approximately 70% at the amino acid sequence level with the polypeptide or protein; and (4) a protein or polypeptide having a mutation or induced mutation such as a deletion, substitution or addition of one to several amino acids relative to the amino acid sequence of the polypeptide or protein according to any one of the preceding (1) to (3).
3. (original) The animal protein according to claim 1 that is a protein derived from mouse, and which is a polypeptide or protein selected from the group consisting of: (1) a polypeptide or protein represented by an amino acid sequence set forth in SEQ ID No: 2 in the sequence listing; (2) a polypeptide containing an amino acid sequence comprising at least five amino acids of the amino acid sequence of the polypeptide or protein; (3) a polypeptide or protein having homology

of at least approximately 70% at the amino acid sequence level with the polypeptide or protein;  
and (4) a protein or polypeptide having a mutation or induced mutation such as a deletion, substitution or addition of one to several amino acids relative to the amino acid sequence of the polypeptide or protein according to any one of the preceding (1) to (3).

4. (currently amended) A nucleic acid coding for the polypeptide or protein according to ~~any one of claims 1 to 3~~ claim 1, or a complementary strand thereof.

5. (original) A nucleic acid hybridizing under stringent conditions with the nucleic acid according to claim 3 or the complementary strand thereof.

6. (currently amended) A nucleic acid represented by a base sequence comprising at least 15 consecutive bases of the base sequence of a nucleic acid set forth in SEQ ID Nos: 3 to 4 in the sequence listing or a complementary strand thereof, wherein a polypeptide expressed by transcription of the nucleic acid is the polypeptide according to ~~any one of claims 1 to 3~~ claim 1.

7. (currently amended) A recombinant vector containing the nucleic acid according to ~~any one of claims 4 to 6~~ claim 4.

8. (original) A transformant that was transformed with the recombinant vector according to claim 7.

9. (currently amended) A method for producing the polypeptide or protein according to ~~any one of claims 1 to 3~~ claim 1, comprising a step of culturing the transformant with the recombinant vector containing nucleic acid coding for the polypeptide or protein ~~according to claim 8~~.

10. (currently amended) Nucleic acid primers set forth in SEQ ID Nos: 5 to 132 in the sequence listing, which hybridize under stringent conditions with the nucleic acid according to ~~any one of claims 4 to 6~~ claim 4 or the complementary strand thereof.

11. (currently amended) An antibody that immunologically recognizes the polypeptide or protein according to ~~any one of claims 1 to 3~~ claim 1.

12. (currently amended) A method of screening for compounds that inhibit or enhance a function that can induce transcription factor activity and/or expression of RB1 gene of the polypeptide or protein according to ~~any of claims 1 to 3~~ claim 1, wherein the method utilizes ~~uses~~ at least one member of the group consisting of the polypeptide, or the protein, or an antibody that immunologically recognizes the polypeptide or protein ~~according to any one of claims 1 to 3 and the antibody according to claim 11~~.

13. (currently amended) A method of screening for compounds that interact with the nucleic acid according to ~~claim 4 or 6~~ to inhibit or enhance expression of the nucleic acid, wherein the method utilizes ~~uses~~ at least one member of the group consisting of the nucleic acid ~~according to any one claims 4 to 6, the, a recombinant vector containing the nucleic acid~~ according to claim 7,

Preliminary Amendment  
U.S. Patent Application No. 10/516,558

~~the, a transformant that was transformed with the recombinant vector according to claim 8, and~~  
~~the or nucleic acid primers set forth in SEQ ID NOS: 5 to 132 in the sequence listing which~~  
~~hybridize under stringent conditions with the nucleic acid according to claim 10.~~

14. (currently amended) A compound that was screened by the screening method according to claim 12 ~~or 13~~.

15. (currently amended) A compound that inhibits or enhances transcription factor activity and/or a function that can induce expression of RB1 gene of the polypeptide or protein according to ~~any of claims 1 to 3~~ claim 1.

16. (currently amended) A compound that interacts with the nucleic acid according to ~~any one of claims 4 to 6~~ claim 4 to inhibit or enhance expression of the nucleic acid.

17. (currently amended) A pharmaceutical composition for use in treatment of multidrug resistance that is resistance to treatment with anticancer agents, wherein the pharmaceutical composition comprises ~~at least one member of the group consisting of the polypeptide or protein according to any of claims 1 to 3~~ claim 1, the, a nucleic acid coding for the polypeptide or protein or a complementary strand thereof according to any one of claims 4 to 6, the, a recombinant vector containing the nucleic acid according to claim 7, the, a transformant that was transformed with the recombinant vector according to claim 8, the, nucleic acid primers set forth in SEQ ID NOS: 5 to 132 in the sequence listing which hybridize under stringent conditions with the nucleic acid according to claim 10, the, an antibody that immunologically recognizes the polypeptide or

~~protein according to claim 11, and the~~ or a compound that interacts with nucleic acid to inhibit or enhance expression of the nucleic acid according to any one of claims 14 to 16.

18. (currently amended) A method of testing and diagnosing a disease related with expression or activity of the polypeptide or protein according to ~~any of claims 1 to 3~~ claim 1, wherein the method comprises a step of conducting analysis employing (a) a nucleic acid encoding the polypeptide or protein and/or (b) the polypeptide or protein, as a marker in a sample.

19. (original) The method of testing and diagnosing according to claim 18, which is a method of testing cancer cells or a method for diagnosing a cancer.

20. (currently amended) The method according to claim 18 ~~or 19~~ which detects expression, increase, decrease, lack or the like of all or a part of the polypeptide or protein ~~according to any of claims 1 to 3~~, wherein the method ~~utilizes~~ uses the an antibody that immunologically recognizes the polypeptide according to claim 11.

21. (currently amended) The method according to claim 18 ~~or 19~~ which detects expression, mutation, lack or insertion or the like of all or a part of a gene encoding the polypeptide or protein ~~according to any of claims 1 to 3~~ through a step of amplifying a gene encoding the polypeptide or protein ~~according to any of claims 1 to 3~~ using utilizing at least one of nucleic acid primers set forth in SEQ ID NOS: 5 to 132 in the sequence listing, which hybridize under stringent conditions with the nucleic acid according to claim 10.

22. (currently amended) The method according to ~~any of claims 18 to 21~~ claim 18, wherein the method combines assay of expression, increase, decrease, mutation, lack or insertion or the like of all or a part of tumor-suppressor gene retinoblastoma gene (RB1 gene) or the gene product thereof (RB1 protein).

23. (currently amended) The method according to ~~any of claims 18 to 22~~ claim 18, wherein the method combines assay of expression, increase, decrease, mutation, lack or insertion or the like of all or a part of multidrug resistance gene (MDR1 gene) or the gene product thereof (MDR1 protein: P-glycoprotein).

24. (currently amended) The method according to ~~any of claims 18 to 23~~ claim 18, wherein the method combines assay of expression, increase, or decrease or the like of all or a part of the cell proliferation marker, Ki-67 protein.

25. (original) A method that tests drug sensitivity of a cancer cell using the method according to claim 23.

26. (currently amended) A kit and a reagent for assay or diagnosis, for use in the method according to ~~any of claim 18 to 25~~.

**REMARKS/ARGUMENTS**

Prior to payment of the filing fees, please enter the above amendment.

No questions of new matter are raised by the above amendment. Entry of the above amendment is therefore respectfully requested.

If there are any fees due in connection with the filing of this Preliminary Amendment, please charge the fees to Deposit Account No. 50-0925. If a fee is required for an extension of time under 37 C.F.R. §1.136 not accounted for above, such extension is requested and should also be charged to our Deposit Account.

Respectfully submitted,



Luke A. Kilyk  
Registration No. 33,251

COPY

Attorney Docket No. 3190-071  
KILYK & BOWERSOX, P.L.L.C.  
53 A East Lee Street  
Warrenton, VA 20186  
Tel.: (540) 428-1701  
Fax: (540) 428-1720

Date: January 25, 2005 Label No. EV567259572US I hereby certify that, on the date indicated above, I deposited this paper with identified attachments and/or fee with the U.S. Postal Service and that it was addressed for delivery to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 by "Express Mail Post Office to Addressee" service.

Donald S. Prater  
Name (Print)

*Donald S. Prater / Kim Blum*  
Signature

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Application of:	Chano et al.	)	Examiner:	Unassigned
		)		
Application No.:	10/516,558	)	Group Art Unit:	Unassigned
		)		
Filed:	November 30, 2004	)	Confirmation No.:	Unassigned
		)		
Docket No.:	3190-070	)	Customer No.:	33432

For: RB1 GENE INDUCED PROTEIN (RB1CC1) AND GENE

**INFORMATION DISCLOSURE STATEMENT**  
**PURSUANT TO 37 CFR 1.97(b)**

**COPY**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

January 25, 2005

Sir:

The attention of the Patent and Trademark Office is hereby directed to the documents listed on the attached Form PTO-1449. Pursuant to the current United States Patent and Trademark Office rules, no copies of U.S. Patents/Patent Application Publications are provided.

This Information Disclosure Statement is being submitted before expiration of the three-month period following filing of the above-captioned application.

The above information is presented so that the Patent and Trademark Office can, in the first instance, determine any materiality thereof to the claimed invention. See 37 CFR 1.104(a) and 1.106(b) concerning the PTO duty to consider and use any such information. It is respectfully requested that the information be expressly considered during the prosecution of this application, and that the documents cited in the attached Form PTO-1449 be made of record therein and appear

Information Disclosure Statement  
U.S. Patent Application No. 10/516,558


on the first page of any patent to issue therefrom.

This submission does not represent that a search has been made or that no better art exists and does not constitute an admission that each or all of the listed documents are material or constitute "prior art." If the Examiner applies any of the documents as prior art against any claim in this application and applicant determines that the cited documents do not constitute "prior art" under United States law, applicant reserves the right to present to the office the relevant facts and law regarding the appropriate status of such documents.

Applicant further reserves the right to take appropriate action to establish the patentability of the disclosed invention over the listed documents, should one or more of the documents be applied against the claims of the present application.

It is believed that no fee is required to make this a complete and timely filing. However, if it is determined that a petition or fee is required, the Commissioner is hereby authorized to charge any fee associated with this statement to our Deposit Account No. 50-0925.

Respectfully submitted,



Luke A. Kilyk  
Reg. No. 33,251

COPY

Atty. Docket No.: 3190-070  
KILYK & BOWERSOX, P.L.L.C.  
53 A East Lee Street  
Warrenton, VA 20186  
Tel.: (540) 428-1701  
Fax: (540) 428-1720  
Enclosures: PTO-1449, w/4 Documents

COPY

FORM PTO-1449 (REV 7-80)	Atty. Docket No. 3190-070	Application No. 10/516,558
<b>INFORMATION DISCLOSURE STATEMENT</b>	APPLICANT: CHANO et al.	
	Filing Date: November 30, 2004	Group Art Unit: Unassigned

## U.S. PATENT DOCUMENTS

EXAMINER'S INITIALS	DOCUMENT NUMBER	DATE	NAME	CLASS	SUB-CLASS	FILING DATE, IF APPROPRIATE

## FOREIGN PATENT DOCUMENTS

	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB-CLASS	TRANSLATION	
						YES	NO
	WO 00/55174	9/21/00	WIPO			X	
	WO 00/78801 A2	12/28/00	WIPO			X	

## OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

	Chano et al., "Identification of RB1CC1, a Novel Human Gene That Can Induce RB1 in Various Human Cells," ONCOGENE, Vol. 21 (2002), pp. 1295-1298.
	Chano et al., "Isolation, Characterization and Mapping of the Mouse and Human RB1CC1 Genes," GENE, Vol. 291 (2002) pp. 29-34.

EXAMINER

DATE CONSIDERED

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Date: January 25, 2005 Label No. EV-07259572US I hereby certify that, on the date indicated above, I deposited this paper with identified attachments and/or fee with the U.S. Postal Service and that it was addressed for delivery to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 by "Express Mail Post Office to Addressee" service.

Donald S. Prater

Name (Print)

*Donald S. Prater*  
*Kim Blum*  
Signature

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Application of:	CHANO et al.	)	Examiner:	Unassigned
		)		
Application No.:	10/516,558	)	Group Art Unit:	Unassigned
		)		
Filed:	November 30, 2004	)	Confirmation No.:	Unassigned
		)		
Docket No.:	3190-070	)	Customer No.:	33432

For: RB1 GENE INDUCED PROTEIN (RB1CC1) AND GENE

**STATEMENT UNDER 37 C.F.R. § 1.821**

**COPY**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

January 25, 2005

Sir:

The diskette enclosed herewith contains a computer readable form of the Sequence Listing for the above-referenced patent application. The information recorded in computer readable form on the diskette is identical to the written sequences contained in the application as filed. The computer readable form of the sequence listing contained on this diskette is understood to comply with the requirements of 37 C.F.R. § 1.821(f). Also enclosed is a computer print-out of the sequence listing.

It is believed that no fee is required to make this complete and timely filing. However, if it is determined that a petition or fee is required, the Commissioner is hereby authorized to charge any fee associated with this statement to our Deposit Account No. 50-0925 and please consider this a petition.

Respectfully submitted,

*Luke A. Kilyk*  
Luke A. Kilyk  
Reg. No. 33,251

Atty. Docket No. 3190-070  
KILYK & BOWERSOX, P.L.L.C.  
53 A East Lee Street  
Warrenton, VA 20186  
Tel.: (540) 428-1701  
Fax: (540) 428-1720

# SEQUENCE LISTING

<110> Chano, Tokuhiro  
Okabe, Hidetoshi  
Ikegawa, Shiro

<120> RB1 gene induced protein (RB1CC1) and gene

<130> 3190-070

<140> US 10/516,558

<141> 2004-11-30

<150> PCT/JP03/00882

<151> 2003-01-30

<150> JP P2002-161400

<151> 2002-06-03

<150> JP P2002-214978

<151> 2002-07-24

<160> 132

<170> PatentIn version 3.1

<210> 1

<211> 1594

<212> PRT

<213> Unknown

<220>

<223> human RB1CC1

<400> 1

Met	Lys	Leu	Tyr	Val	Phe	Leu	Val	Asn	Thr	Gly	Thr	Thr	Leu	Thr	Phe
1				5					10					15	

Asp	Thr	Glu	Leu	Thr	Val	Gln	Thr	Val	Ala	Asp	Leu	Lys	His	Ala	Ile
			20					25					30		

Gln	Ser	Lys	Tyr	Lys	Ile	Ala	Ile	Gln	His	Gln	Val	Leu	Val	Val	Asn
		35					40					45			

Gly	Gly	Glu	Cys	Met	Ala	Ala	Asp	Arg	Arg	Val	Cys	Thr	Tyr	Ser	Ala
	50					55					60				

Gly	Thr	Asp	Thr	Asn	Pro	Ile	Phe	Leu	Phe	Asn	Lys	Glu	Met	Ile	Leu
65					70					75					80

Cys Asp Arg Pro Pro Ala Ile Pro Lys Thr Thr Phe Ser Thr Glu Asn  
                             85                            90                            95

Asp Met Glu Ile Lys Val Glu Glu Ser Leu Met Met Pro Ala Val Phe  
                             100                            105                            110

His Thr Val Ala Ser Arg Thr Gln Leu Ala Leu Glu Met Tyr Glu Val  
                             115                            120                            125

Ala Lys Lys Leu Cys Ser Phe Cys Glu Gly Leu Val His Asp Glu His  
                             130                            135                            140

Leu Gln His Gln Gly Trp Ala Ala Ile Met Ala Asn Leu Glu Asp Cys  
                             145                            150                            155                            160

Ser Asn Ser Tyr Gln Lys Leu Leu Phe Lys Phe Glu Ser Ile Tyr Ser  
                             165                            170                            175

Asn Tyr Leu Gln Ser Ile Glu Asp Ile Lys Leu Lys Leu Thr His Leu  
                             180                            185                            190

Gly Thr Ala Val Ser Val Met Ala Lys Ile Pro Leu Leu Glu Cys Leu  
                             195                            200                            205

Thr Arg His Ser Tyr Arg Glu Cys Leu Gly Arg Leu Asp Ser Leu Pro  
                             210                            215                            220

Glu His Glu Asp Ser Glu Lys Ala Glu Thr Lys Arg Ser Thr Glu Leu  
                             225                            230                            235                            240

Val Leu Ser Pro Asp Met Pro Arg Thr Thr Asn Glu Ser Leu Leu Thr  
                             245                            250                            255

Ser Phe Pro Lys Ser Val Glu His Val Ser Pro Asp Thr Ala Asp Ala  
                             260                            265                            270

Glu Ser Gly Lys Glu Ile Arg Glu Ser Cys Gln Ser Thr Val His Gln  
                             275                            280                            285

Gln Asp Glu Thr Thr Ile Asp Thr Lys Asp Gly Asp Leu Pro Phe Phe  
                             290                            295                            300

Asn Val Ser Leu Leu Asp Trp Ile Asn Val Gln Asp Arg Pro Asn Asp  
 305 310 315 320

Val Glu Ser Leu Val Arg Lys Cys Phe Asp Ser Met Ser Arg Leu Asp  
 325 330 335

Pro Arg Ile Ile Arg Pro Phe Ile Ala Glu Cys Arg Gln Thr Ile Ala  
 340 345 350

Lys Leu Asp Asn Gln Asn Met Lys Ala Ile Lys Gly Leu Glu Asp Arg  
 355 360 365

Leu Tyr Ala Leu Asp Gln Met Ile Ala Ser Cys Gly Arg Leu Val Asn  
 370 375 380

Glu Gln Lys Glu Leu Ala Gln Gly Phe Leu Ala Asn Gln Lys Arg Ala  
 385 390 395 400

Glu Asn Leu Lys Asp Ala Ser Val Leu Pro Asp Leu Cys Leu Ser His  
 405 410 415

Ala Asn Gln Leu Met Ile Met Leu Gln Asn His Arg Lys Leu Leu Asp  
 420 425 430

Ile Lys Gln Lys Cys Thr Thr Ala Lys Gln Glu Leu Ala Asn Asn Leu  
 435 440 445

His Val Arg Leu Lys Trp Cys Cys Phe Val Met Leu His Ala Asp Gln  
 450 455 460

Asp Gly Glu Lys Leu Gln Ala Leu Leu Arg Leu Val Ile Glu Leu Leu  
 465 470 475 480

Glu Arg Val Lys Ile Val Glu Ala Leu Ser Thr Val Pro Gln Met Tyr  
 485 490 495

Cys Leu Ala Val Val Glu Val Val Arg Arg Lys Met Phe Ile Lys His  
 500 505 510

Tyr Arg Glu Trp Ala Gly Ala Leu Val Lys Asp Gly Lys Arg Leu Tyr  
 515 520 525

Glu Ala Glu Lys Ser Lys Arg Glu Ser Phe Gly Lys Leu Phe Arg Lys  
530 535 540

Ser Phe Leu Arg Asn Arg Leu Phe Arg Gly Leu Asp Ser Trp Pro Pro  
545 550 555 560

Ser Phe Cys Thr Gln Lys Pro Arg Lys Phe Asp Cys Glu Leu Pro Asp  
565 570 575

Ile Ser Leu Lys Asp Leu Gln Phe Leu Gln Ser Phe Cys Pro Ser Glu  
580 585 590

Val Gln Pro Phe Leu Arg Val Pro Leu Leu Cys Asp Phe Glu Pro Leu  
595 600 605

His Gln His Val Leu Ala Leu His Asn Leu Val Lys Ala Ala Gln Ser  
610 615 620

Leu Asp Glu Met Ser Gln Thr Ile Thr Asp Leu Leu Ser Glu Gln Lys  
625 630 635 640

Ala Ser Val Ser Gln Thr Ser Pro Gln Ser Ala Ser Ser Pro Arg Met  
645 650 655

Glu Ser Thr Ala Gly Ile Thr Thr Thr Thr Ser Pro Arg Thr Pro Pro  
660 665 670

Pro Leu Thr Val Gln Asp Pro Leu Cys Pro Ala Val Cys Pro Leu Glu  
675 680 685

Glu Leu Ser Pro Asp Ser Ile Asp Ala His Thr Phe Asp Phe Glu Thr  
690 695 700

Ile Pro His Pro Asn Ile Glu Gln Thr Ile His Gln Val Ser Leu Asp  
705 710 715 720

Leu Asp Ser Leu Ala Glu Ser Pro Glu Ser Asp Phe Met Ser Ala Val  
725 730 735

Asn Glu Phe Val Ile Glu Glu Asn Leu Ser Ser Pro Asn Pro Ile Ser  
740 745 750

Asp Pro Gln Ser Pro Glu Met Met Val Glu Ser Leu Tyr Ser Ser Val  
755 760 765

Ile Asn Ala Ile Asp Ser Arg Arg Met Gln Asp Thr Asn Val Cys Gly  
770 775 780

Lys Glu Asp Phe Gly Asp His Thr Ser Leu Asn Val Gln Leu Glu Arg  
785 790 795 800

Cys Arg Val Val Ala Gln Asp Ser His Phe Ser Ile Gln Thr Ile Lys  
805 810 815

Glu Asp Leu Cys His Phe Arg Thr Phe Val Gln Lys Glu Gln Cys Asp  
820 825 830

Phe Ser Asn Ser Leu Lys Cys Thr Ala Val Glu Ile Arg Asn Ile Ile  
835 840 845

Glu Lys Val Lys Cys Ser Leu Glu Ile Thr Leu Lys Glu Lys His Gln  
850 855 860

Lys Glu Leu Leu Ser Leu Lys Asn Glu Tyr Glu Gly Lys Leu Asp Gly  
865 870 875 880

Leu Ile Lys Glu Thr Glu Glu Asn Glu Asn Lys Ile Lys Lys Leu Lys  
885 890 895

Gly Glu Leu Val Cys Leu Glu Glu Val Leu Gln Asn Lys Asp Asn Glu  
900 905 910

Phe Ala Leu Val Lys His Glu Lys Glu Ala Val Ile Cys Leu Gln Asn  
915 920 925

Glu Lys Asp Gln Lys Leu Leu Glu Met Glu Asn Ile Met His Ser Gln  
930 935 940

Asn Cys Glu Ile Lys Glu Leu Lys Gln Ser Arg Glu Ile Val Leu Glu  
945 950 955 960

Asp Leu Lys Lys Leu His Val Glu Asn Asp Glu Lys Leu Gln Leu Leu  
965 970 975

Arg Ala Glu Leu Gln Ser Leu Glu Gln Ser His Leu Lys Glu Leu Glu  
980 985 990

Asp Thr Leu Gln Val Arg His Ile Gln Glu Phe Glu Lys Val Met Thr  
995 1000 1005

Asp His Arg Val Ser Leu Glu Glu Leu Lys Lys Glu Asn Gln Gln  
1010 1015 1020

Ile Ile Asn Gln Ile Gln Glu Ser His Ala Glu Ile Ile Gln Glu  
1025 1030 1035

Lys Glu Lys Gln Leu Gln Glu Leu Lys Leu Lys Val Ser Asp Leu  
1040 1045 1050

Ser Asp Thr Arg Cys Lys Leu Glu Val Glu Leu Ala Leu Lys Glu  
1055 1060 1065

Ala Glu Thr Asp Glu Ile Lys Ile Leu Leu Glu Glu Ser Arg Ala  
1070 1075 1080

Gln Gln Lys Glu Thr Leu Lys Ser Leu Leu Glu Gln Glu Thr Glu  
1085 1090 1095

Asn Leu Arg Thr Glu Ile Ser Lys Leu Asn Gln Lys Ile Gln Asp  
1100 1105 1110

Asn Asn Glu Asn Tyr Gln Val Gly Leu Ala Glu Leu Arg Thr Leu  
1115 1120 1125

Met Thr Ile Glu Lys Asp Gln Arg Ile Ser Glu Leu Ile Ser Arg  
1130 1135 1140

His Glu Glu Glu Ser Asn Ile Leu Lys Ala Glu Leu Asn Lys Val  
1145 1150 1155

Thr Ser Leu His Asn Gln Ala Phe Glu Ile Glu Lys Asn Leu Lys  
1160 1165 1170

Glu Gln Ile Ile Glu Leu Gln Ser Lys Leu Asp Ser Glu Leu Ser  
1175 1180 1185

Ala	Leu	Glu	Arg	Gln	Lys	Asp	Glu	Lys	Ile	Thr	Gln	Gln	Glu	Glu
1190						1195					1200			
Lys	Tyr	Glu	Ala	Ile	Ile	Gln	Asn	Leu	Glu	Lys	Asp	Arg	Gln	Lys
1205						1210					1215			
Leu	Val	Ser	Ser	Gln	Glu	Gln	Asp	Arg	Glu	Gln	Leu	Ile	Gln	Lys
1220						1225					1230			
Leu	Asn	Cys	Glu	Lys	Asp	Glu	Ala	Ile	Gln	Thr	Ala	Leu	Lys	Glu
1235						1240					1245			
Phe	Lys	Leu	Glu	Arg	Glu	Val	Val	Glu	Lys	Glu	Leu	Leu	Glu	Lys
1250						1255					1260			
Val	Lys	His	Leu	Glu	Asn	Gln	Ile	Ala	Lys	Ser	Pro	Ala	Ile	Asp
1265						1270					1275			
Ser	Thr	Arg	Gly	Asp	Ser	Ser	Ser	Leu	Val	Ala	Glu	Leu	Gln	Glu
1280						1285					1290			
Lys	Leu	Gln	Glu	Glu	Lys	Ala	Lys	Phe	Leu	Glu	Gln	Leu	Glu	Glu
1295						1300					1305			
Gln	Glu	Lys	Arg	Lys	Asn	Glu	Glu	Met	Gln	Asn	Val	Arg	Thr	Ser
1310						1315					1320			
Leu	Ile	Ala	Glu	Gln	Gln	Thr	Asn	Phe	Asn	Thr	Val	Leu	Thr	Arg
1325						1330					1335			
Glu	Lys	Met	Arg	Lys	Glu	Asn	Ile	Ile	Asn	Asp	Leu	Ser	Asp	Lys
1340						1345					1350			
Leu	Lys	Ser	Thr	Met	Gln	Gln	Gln	Glu	Arg	Asp	Lys	Asp	Leu	Ile
1355						1360					1365			
Glu	Ser	Leu	Ser	Glu	Asp	Arg	Ala	Arg	Leu	Leu	Glu	Glu	Lys	Lys
1370						1375					1380			
Lys	Leu	Glu	Glu	Glu	Val	Ser	Lys	Leu	Arg	Ser	Ser	Ser	Phe	Val
1385						1390					1395			

Pro	Ser	Pro	Tyr	Val	Ala	Thr	Ala	Pro	Glu	Leu	Tyr	Gly	Ala	Cys
1400						1405					1410			
Ala	Pro	Glu	Leu	Pro	Gly	Glu	Ser	Asp	Arg	Ser	Ala	Val	Glu	Thr
1415						1420					1425			
Ala	Asp	Glu	Gly	Arg	Val	Asp	Ser	Ala	Met	Glu	Thr	Ser	Met	Met
1430						1435					1440			
Ser	Val	Gln	Glu	Asn	Ile	His	Met	Leu	Ser	Glu	Glu	Lys	Gln	Arg
1445						1450					1455			
Ile	Met	Leu	Leu	Glu	Arg	Thr	Leu	Gln	Leu	Lys	Glu	Glu	Glu	Asn
1460						1465					1470			
Lys	Arg	Leu	Asn	Gln	Arg	Leu	Met	Ser	Gln	Ser	Met	Ser	Ser	Val
1475						1480					1485			
Ser	Ser	Arg	His	Ser	Glu	Lys	Ile	Ala	Ile	Arg	Asp	Phe	Gln	Val
1490						1495					1500			
Gly	Asp	Leu	Val	Leu	Ile	Ile	Leu	Asp	Glu	Arg	His	Asp	Asn	Tyr
1505						1510					1515			
Val	Leu	Phe	Thr	Val	Ser	Pro	Thr	Leu	Tyr	Phe	Leu	His	Ser	Glu
1520						1525					1530			
Ser	Leu	Pro	Ala	Leu	Asp	Leu	Lys	Pro	Gly	Glu	Gly	Ala	Ser	Gly
1535						1540					1545			
Ala	Ser	Arg	Arg	Pro	Trp	Val	Leu	Gly	Lys	Val	Met	Glu	Lys	Glu
1550						1555					1560			
Tyr	Cys	Gln	Ala	Lys	Lys	Ala	Gln	Asn	Arg	Phe	Lys	Val	Pro	Leu
1565						1570					1575			
Gly	Thr	Lys	Phe	Tyr	Arg	Val	Lys	Ala	Val	Ser	Trp	Asn	Lys	Lys
1580						1585					1590			

Val

<210> 2  
 <211> 1588  
 <212> PRT  
 <213> Unknown

<220>  
 <223> mouse Rblcc1

<400> 2  
 Met Lys Leu Tyr Val Phe Leu Val Asn Thr Gly Thr Thr Leu Thr Phe  
 1 5 10 15

Asp Thr Glu Leu Thr Val Gln Thr Val Ala Asp Leu Lys His Ala Ile  
 20 25 30

Gln Ser Lys Tyr Lys Ile Ala Ile Gln His Gln Val Leu Val Val Asn  
 35 40 45

Gly Gly Glu Cys Met Ala Ala Asp Arg Arg Val Cys Thr Tyr Ser Ala  
 50 55 60

Gly Thr Asp Thr Asn Pro Ile Phe Leu Phe Asn Lys Glu Met Ile Leu  
 65 70 75 80

Cys Asp Arg Ala Pro Ala Ile Pro Lys Ala Thr Phe Ser Thr Glu Asn  
 85 90 95

Asp Met Glu Ile Lys Val Glu Glu Ser Leu Met Met Pro Ala Val Phe  
 100 105 110

His Thr Val Ala Ser Arg Thr Gln Leu Ala Val Glu Met Tyr Asp Val  
 115 120 125

Ala Lys Lys Leu Cys Ser Phe Cys Glu Gly Leu Val His Asp Glu His  
 130 135 140

Leu Gln His Gln Gly Trp Ala Ala Ile Met Ala Asn Leu Glu Asp Cys  
 145 150 155 160

Ser Asn Ser Tyr Gln Lys Leu Leu Phe Lys Phe Glu Ser Ile Tyr Ser  
 165 170 175

Asp Tyr Leu Gln Ser Ile Glu Asp Ile Lys Leu Lys Leu Thr His Leu  
 180 185 190

Gly Thr Ala Val Ser Val Met Ala Lys Ile Pro Leu Leu Glu Cys Leu  
195 200 205

Thr Arg His Ser Tyr Arg Glu Cys Leu Gly Arg Pro Asp Ser Leu Asn  
210 215 220

Glu His Glu Gly Ser Glu Lys Ala Glu Met Lys Arg Ser Thr Glu Leu  
225 230 235 240

Val Leu Ser Pro Asp Met Pro Arg Thr Thr Asn Thr Ser Leu Val Thr  
245 250 255

Ser Phe His Lys Ser Met Glu His Val Ala Pro Asp Pro Thr Gly Thr  
260 265 270

Glu Arg Gly Lys Glu Leu Arg Glu Ser Cys Gln Ser Thr Val Gln Gln  
275 280 285

Glu Glu Ala Ser Val Asp Ala Lys Asp Ser Asp Leu Pro Phe Phe Asn  
290 295 300

Val Ser Leu Leu Asp Trp Ile Asn Val Gln Asp Arg Pro Asn Asp Val  
305 310 315 320

Glu Ser Leu Val Arg Lys Cys Phe Asp Ser Met Ser Arg Leu Asp Pro  
325 330 335

Lys Ile Ile Gln Pro Phe Met Leu Glu Cys His Gln Thr Ile Ala Lys  
340 345 350

Leu Asp Asn Gln Asn Met Lys Ala Ile Lys Gly Leu Glu Asp Arg Leu  
355 360 365

Tyr Ala Leu Asp Gln Met Ile Ala Ser Cys Ser Arg Leu Val Asn Glu  
370 375 380

Gln Lys Glu Leu Ala Gln Gly Phe Leu Ala Asn Gln Met Arg Ala Glu  
385 390 395 400

Asn Leu Lys Asp Ala Ser Val Leu Pro Asp Leu Cys Leu Ser His Ala  
405 410 415

Asn Gln Leu Met Ile Met Leu Gln Asn His Arg Lys Leu Leu Asp Ile  
 420 425 430

Lys Gln Lys Cys Thr Thr Ala Lys Gln Glu Leu Ala Asn Asn Leu His  
 435 440 445

Val Arg Leu Lys Trp Cys Cys Phe Val Met Leu His Ala Asp Gln Asp  
 450 455 460

Gly Glu Lys Leu Gln Ala Leu Leu Arg Leu Val Ile Glu Leu Leu Glu  
 465 470 475 480

Arg Val Arg Ile Val Glu Ala Leu Ser Thr Val Pro Gln Met Tyr Cys  
 485 490 495

Leu Ala Val Val Glu Val Val Arg Arg Lys Met Phe Ile Lys His Tyr  
 500 505 510

Arg Glu Trp Ala Gly Ala Leu Val Lys Asp Gly Lys Gln Leu Tyr Glu  
 515 520 525

Ala Glu Lys Ser Lys Arg Glu Ser Phe Gly Lys Leu Phe Arg Lys Ser  
 530 535 540

Phe Leu Arg Asn Arg Leu Phe Lys Gly Leu Asp Ser Trp Pro Ser Ser  
 545 550 555 560

Phe Cys Thr Gln Lys Pro Arg Lys Phe Asp Cys Glu Leu Pro Asp Ile  
 565 570 575

Ser Leu Lys Asp Leu Gln Phe Leu Gln Ser Phe Cys Pro Ser Glu Val  
 580 585 590

Gln Pro Phe Leu Arg Val Pro Leu Leu Cys Asp Phe Glu Pro Leu His  
 595 600 605

Gln His Val Leu Ala Leu His Asn Leu Val Lys Ala Ala Gln Ser Leu  
 610 615 620

Asp Glu Met Ser Gln Thr Ile Thr Asp Leu Leu Asn Glu Gln Lys Val  
 625 630 635 640

Ser Thr Ser Gln Ala Ser Pro Gln Ser Ala Ala Ser Pro Arg Ile Glu  
 645 650 655

Ser Thr Thr Gly Ile Thr Thr Thr Thr Ser Pro Lys Thr Pro Pro Pro  
 660 665 670

Leu Thr Val Gln Asp Thr Leu Cys Pro Ala Val Cys Pro Leu Glu Glu  
 675 680 685

Leu Ser Pro Asp Ser Ile Asp Ala His Thr Phe Asp Phe Glu Thr Ile  
 690 695 700

Ser His Pro Asn Thr Glu Gln Pro Val His Gln Ala Ser Ile Asp Leu  
 705 710 715 720

Asp Ser Leu Ala Glu Ser Pro Glu Ser Asp Phe Met Ser Ala Val Asn  
 725 730 735

Glu Phe Val Ile Glu Glu Asn Leu Ser Ser Pro Asn Pro Ile Ser Asp  
 740 745 750

Pro Gln Ser Pro Glu Met Met Val Glu Ser Leu Tyr Ser Ser Val Ile  
 755 760 765

Asn Ala Ile Asp Ser Arg Arg Met Gln Asp Thr Ser Thr Arg Gly Asn  
 770 775 780

Glu Gly Phe Gly Asp Arg Ala Ala Leu His Val Gln Leu Glu Lys Cys  
 785 790 795 800

Arg Ala Ala Ala Gln Asp Ser His Thr Ser Ile Gln Thr Ile Lys Asp  
 805 810 815

Asp Leu Cys His Phe Arg Thr Phe Val Gln Lys Glu Gln Cys Asp Leu  
 820 825 830

Ala Asn Tyr Leu Lys Cys Thr Ala Val Glu Ile Arg Asn Ile Ile Glu  
 835 840 845

Lys Val Lys Cys Ser Leu Glu Ile Thr Leu Lys Glu Lys His Gln Gln  
 850 855 860

Glu Leu Gln Ser Leu Lys Ile Glu Tyr Glu Cys Lys Leu Asp Ala Leu  
865 870 875 880

Val Lys Asp Ser Glu Glu Asn Val Asn Lys Ile Leu Lys Leu Lys Glu  
885 890 895

Asn Leu Val Ser Leu Glu Glu Ala Leu Gln Asn Lys Asp Asn Glu Phe  
900 905 910

Thr Ser Ile Lys His Glu Lys Asp Ala Ile Val Cys Val Gln Gln Glu  
915 920 925

Lys Asp Gln Lys Leu Leu Glu Met Glu Lys Ile Met His Thr Gln His  
930 935 940

Cys Glu Ile Lys Glu Leu Lys Gln Ser Arg Glu Met Ala Leu Glu Asp  
945 950 955 960

Leu Lys Lys Leu His Asp Glu Lys Ile Glu Ser Leu Arg Ala Glu Phe  
965 970 975

Gln Cys Leu Glu Glu Asn His Leu Lys Glu Leu Glu Asp Thr Leu His  
980 985 990

Ile Arg His Thr Gln Glu Phe Glu Lys Val Met Thr Asp His Asn Met  
995 1000 1005

Ser Leu Glu Lys Leu Lys Lys Glu Asn Gln Gln Arg Ile Asp Gln  
1010 1015 1020

Met Leu Glu Ser His Ala Ser Thr Ile Gln Glu Lys Glu Gln Gln  
1025 1030 1035

Leu Gln Glu Leu Lys Leu Lys Val Ser Asp Leu Ser Asp Met Arg  
1040 1045 1050

Cys Lys Leu Glu Val Glu Leu Ala Leu Lys Glu Ala Glu Thr Asp  
1055 1060 1065

Glu Ile Lys Ile Leu Leu Glu Glu Ser Arg Thr Gln Gln Lys Glu  
1070 1075 1080

Met	Leu	Lys	Ser	Leu	Leu	Glu	Gln	Glu	Thr	Glu	Asn	Leu	Arg	Thr
1085						1090					1095			
Glu	Ile	Ser	Lys	Leu	Asn	Gln	Lys	Ile	His	Asp	Asn	Asn	Glu	Ser
1100						1105					1110			
Tyr	Gln	Val	Gly	Leu	Ser	Glu	Leu	Arg	Ala	Leu	Met	Thr	Ile	Glu
1115						1120					1125			
Lys	Asp	Gln	Cys	Ile	Ser	Glu	Leu	Ile	Ser	Arg	His	Glu	Glu	Glu
1130						1135					1140			
Ser	Asn	Ile	Leu	Lys	Ala	Glu	Leu	Asp	Asn	Val	Thr	Ser	Leu	His
1145						1150					1155			
Arg	Gln	Ala	Tyr	Glu	Ile	Glu	Lys	Lys	Leu	Lys	Glu	Gln	Ile	Val
1160						1165					1170			
Glu	Leu	Gln	Thr	Arg	Leu	Asn	Ser	Glu	Leu	Ser	Ala	Leu	Glu	Lys
1175						1180					1185			
Gln	Lys	Asp	Glu	Lys	Ile	Thr	Gln	Gln	Glu	Glu	Lys	Tyr	Glu	Ala
1190						1195					1200			
Leu	Ile	Gln	Asn	Leu	Glu	Lys	Asp	Lys	Glu	Arg	Leu	Val	Lys	Asn
1205						1210					1215			
His	Glu	Gln	Asp	Lys	Glu	His	Leu	Ile	Gln	Glu	Leu	Asn	Phe	Glu
1220						1225					1230			
Lys	Asn	Lys	Ala	Val	Gln	Thr	Ala	Leu	Asp	Glu	Phe	Lys	Val	Glu
1235						1240					1245			
Arg	Glu	Leu	Val	Glu	Lys	Glu	Leu	Leu	Glu	Lys	Val	Lys	His	Leu
1250						1255					1260			
Glu	Asn	Gln	Ile	Ala	Lys	Thr	Pro	Ala	Phe	Glu	Ser	Ala	Arg	Glu
1265						1270					1275			
Asp	Ser	Ser	Ser	Leu	Val	Ala	Glu	Leu	Gln	Glu	Lys	Leu	Gln	Glu
1280						1285					1290			

Glu	Lys	Ala	Lys	Phe	Leu	Glu	Gln	Leu	Glu	Glu	Gln	Glu	Lys	Arg
1295						1300					1305			
Lys	Asn	Glu	Glu	Met	Gln	Asn	Val	Arg	Thr	Ser	Leu	Ile	Ala	Glu
1310						1315					1320			
Gln	Gln	Thr	Asn	Phe	Asn	Thr	Val	Leu	Thr	Arg	Glu	Lys	Met	Arg
1325						1330					1335			
Lys	Glu	Asn	Ile	Ile	Asn	Asp	Leu	Ser	Asp	Lys	Leu	Lys	Ser	Thr
1340						1345					1350			
Met	Gln	Gln	Gln	Glu	Arg	Asp	Lys	Asp	Leu	Ile	Glu	Ser	Leu	Ser
1355						1360					1365			
Glu	Asp	Arg	Ala	Arg	Leu	Leu	Glu	Glu	Lys	Lys	Gln	Leu	Glu	Glu
1370						1375					1380			
Glu	Val	Ser	Lys	Leu	Arg	Thr	Ser	Ser	Phe	Leu	Ser	Ser	Ala	Pro
1385						1390					1395			
Val	Ala	Ala	Ala	Pro	Glu	Leu	Tyr	Gly	Ala	Cys	Ala	Pro	Glu	Leu
1400						1405					1410			
Pro	Gly	Glu	Pro	Glu	Arg	Ser	Val	Met	Glu	Thr	Ala	Asp	Glu	Gly
1415						1420					1425			
Arg	Leu	Asp	Ser	Ala	Met	Glu	Thr	Ser	Met	Met	Ser	Val	Gln	Glu
1430						1435					1440			
Asn	Met	Leu	Ser	Glu	Glu	Lys	Gln	Arg	Ile	Met	Leu	Leu	Glu	Arg
1445						1450					1455			
Thr	Leu	Gln	Leu	Lys	Glu	Glu	Glu	Asn	Lys	Arg	Leu	Asn	Gln	Arg
1460						1465					1470			
Leu	Met	Ser	Gln	Ser	Leu	Ser	Ser	Val	Ser	Ser	Arg	His	Ser	Glu
1475						1480					1485			
Lys	Ile	Ala	Ile	Arg	Asp	Phe	Gln	Val	Gly	Asp	Leu	Val	Leu	Ile
1490						1495					1500			

Ile Leu Asp Glu Arg His Asp Asn Tyr Val Leu Phe Thr Val Ser  
 1505 1510 1515

Pro Thr Leu Tyr Phe Leu His Ser Glu Ser Leu Pro Ala Leu Asp  
 1520 1525 1530

Leu Lys Pro Gly Glu Gly Ala Ser Gly Ala Ser Arg Arg Pro Trp  
 1535 1540 1545

Val Leu Gly Lys Val Met Glu Lys Glu Tyr Cys Gln Ala Lys Lys  
 1550 1555 1560

Ala Gln Asn Arg Phe Lys Val Pro Leu Gly Thr Lys Phe Tyr Arg  
 1565 1570 1575

Val Lys Ala Val Ser Trp Asn Lys Lys Val  
 1580 1585

<210> 3  
 <211> 6636  
 <212> DNA  
 <213> Unknown

<220>  
 <223> human RB1CC1 gene

<400> 3  
 gtcgacaata acaaaccaag ccgcggcggt gtccgcggcc ctgccgagcc ctcggcggtg 60  
 cctcagaatc cccagtcgc ctggggcccct cggctctgac aggcgcgggc cttctgtccc 120  
 ccggccccag acccagagcc gaggggcctg ctgcgctcct tgtccgcccg gacccctccc 180  
 tgccctcctag agttcggggc cgcggcgggc gggcgcccgg gacgccggcg gttgtgtcgg 240  
 cttagcggtg ccgaatgggc ggttggtaac cgctgccgag gactaggcgg cggcggaaga 300  
 tgggtgccggg ggtcgctggc tctgctgctg ccgccggcga aggaggaggc gttgccggtt 360  
 ttctgagttt aaccagtaat gccattcagt tgccaatctc aagcaaagca aacataagcc 420  
 agttttaatc tactttttta gaaaagtggg agtccttttc acagtgcctg acgtaactgt 480  
 atcagagggg gaggtataag ctacacagaat tcagataaat catcatgaag ttatatgtat 540  
 ttctgggttaa cactggaact actctaacat ttgacactga acttacagtg caaactgtgg 600  
 cagaccttaa gcatgccatt caaagcaaat acaagattgc tattcaacac caggtgctgg 660  
 tgggtcaatgg aggagaatgc atggctgcag atcgaagagt gtgtacctac agtgctggga 720

cgatacaaaa tccaattttt ctttttaaca aagaaatgat cttatgcat cgtccacctg	780
ctattcctaa aactaccttt tcgacagaaa atgacatgga aataaaagt gaagaatctc	840
ttatgatgcc tgcagttttt catactgttg cttcaaggac acagcttgca ttggaaatgt	900
atgaagttgc caagaaactt tgttcttttt gtgaaggtct tgtacatgat gaacatcttc	960
aacaccaagg ctgggctgca atcatggcca acctggagga ctgttcaaat tcataccaaa	1020
agctactttt caagtttgaa agtattttatt caaattatct gcagtccata gaagacatca	1080
agttaaaact tactcattta ggaactgcag tttcagtaat ggccaagatt ccaactgttg	1140
agtcgctaac cagacatagt tacagagaat gtttgggaag actggattct ttacctgaac	1200
atgaagactc agaaaaagct gagacgaaaa gatccactga actggtgctc tctcctgata	1260
tgcctagaac aactaacgaa tctttgttaa cctcatttcc caagtcagt gaacatgtgt	1320
ccccagatac cgcagatgct gaaagtggca aagaaattag ggaatcttgt caaagtactg	1380
ttcatcagca agatgaaact acgattgaca ctaaagatgg tgatctgccc ttttttaatg	1440
tctctttgtt agactggata aatgttcaag atagacctaa tgatgtggaa tctttggtca	1500
ggaagtgcct tgattctatg agcaggcttg atccaaggat tattcgacca tttatagcag	1560
aatgccgtca aactattgcc aaacttgata atcagaatat gaaagccatt aaaggacttg	1620
aagatcggtc ctacgccctg gaccagatga ttgctagctg tggccgactg gtgaatgaac	1680
agaaagagct tgctcagga tttttagcta atcagaagag agctgaaaac ttaaaggatg	1740
catctgtatt acctgattta tgcctgagtc acgcaaatca gttgatgatt atgttgcaaa	1800
atcatagaaa actgttagat attaagcaga agtgtaccac tgccaaacaa gaactagcaa	1860
ataacctaca tgtcagactg aagtgggtgt gctttgtaat gcttcatgct gatcaagatg	1920
gagagaagtt acaagctttg ctccgcctcg taatagagct gttagaaaga gtcaaaattg	1980
ttgaagctct tagtacagtt cctcagatgt actgcttagc tgttggtgag gttgtaagaa	2040
gaaaaatgtt cataaaacac tacagggagt gggctggtgc tttagtcaaa gatggaaaga	2100
gattatatga agcagaaaaa tcaaaaaggg aatccttttg gaaattattt aggaagtctt	2160
ttttaagaaa tcgtctgttt aggggactgg actcctggcc cccttccttt tgtactcaaa	2220
agcctcgaaa gtttgactgt gaacttccag atatttcatt aaaagattta cagtttctgc	2280
aatcattttg tccttcggaa gttcagccat tcctcagggt tcccttactt tgtgactttg	2340
aacctctaca ccagcatgta cttgctctac ataatttggt aaaagcagca caaagtttg	2400

atgaaatgtc acagaccatt acagatctac tgagtgaaca aaaggcatct gtgagccaga	2460
catccccaca gtctgtttct tcaccaagga tggaaagtac agcaggaatt acaactacta	2520
cctcaccgag aactcctcca ccaactgactg ttcaggatcc cttatgtcct gcagtttgtc	2580
ccttagaaga attatctcca gatagtattg atgcacatac gtttgatttt gaaactattc	2640
cccatccaaa catagaacag actattcacc aagtttcttt agacttggat tcattagcag	2700
aaagtctga atcagatttt atgtctgctg tgaatgagtt tgtaatagaa gaaaatttgt	2760
cgtctcctaa tcctataagt gatccacaaa gccagaaat gatggtggaa tcactttatt	2820
catcagttat caatgcgata gacagtagac gaatgcagga taaaaatgta tgttgtaagg	2880
aggattttgg agatcatact tctctgaatg tccagttgga aagatgtaga gttgttgccc	2940
aagactctca cttcagtata caaaccatta aggaagacct ttgccacttt agaacatttg	3000
tacaaaaaga acagtgtgac ttctcaaatt cattaaaatg tacagcagta gaaataagaa	3060
acattattga aaaagtaaaa tgttctctgg aaataacact aaaagaaaaa catcaaaaag	3120
aactactgtc tttaaaaaat gaatatgaag gttaaactga cggactaata aaggaaaactg	3180
aagagaatga aaacaaaatt aaaaaattga agggagagtt agtatgcctt gaggaggttt	3240
tacaaaataa agataatgaa tttgctttgg ttaaacaatga aaaagaagct gtaatctgcc	3300
tgcagaatga aaaggatcag aagttgttag agatggaaaa tataatgcac tctcaaaatt	3360
gtgaaattaa agaactgaag cagtcacgag aaatagtgtt agaagactta aaaaagctcc	3420
atgttgaaaa tgatgagaag ttacagttat tgagggcaga acttcagtcc ttggagcaaa	3480
gtcatctaaa ggaattagag gacacacttc aggttaggca catacaagag tttgagaagg	3540
ttatgacaga ccacagagtt tctttggagg aattaaaaaa ggaaaatcaa caaataatta	3600
atcaaataca agaatctcat gctgaaatta tccaggaaaa agaaaaacag ttacaggaat	3660
taaaactcaa ggtttctgat ttgtcagaca cgagatgcaa gttagagggtt gaacttgcgt	3720
tgaaggaagc agaaactgat gaaataaaaa ttttgctgga agaaagcaga gccagcaga	3780
aggagacctt gaaatctctt cttgaacaag agacagaaaa tttgagaaca gaaattagta	3840
aactcaacca aaagattcag gataataatg aaaattatca ggtgggctta gcagagctaa	3900
gaactttaat gacaattgaa aaagatcagc gtatttccga gttaattagt agacatgaag	3960
aagaatctaa tataacttaa gctgaattaa acaaagtaac atctttgcat aaccaagcat	4020
ttgaaataga aaaaaacctt aaagaacaaa taattgaact gcagagtaaa ttggattcag	4080

aattgagtgc tcttgaaaga caaaaagatg aaaaaattac ccaacaagaa gagaaatacg	4140
aagctattat ccagaacctt gagaaagaca gacaaaaatt ggtcagcagc caggagcaag	4200
acagagaaca gttaattcag aagcttaatt gtgaaaaaga tgaagctatt cagactgccc	4260
taaaagaatt taaattggag agagaagttg ttgagaaaga gttattagaa aaagttaaac	4320
atcttgagaa tcaaatagca aaaagtcctg ccattgactc taccagagga gattcttcaa	4380
gcttagttgc tgaacttcaa gaaaagcttc aggaagaaaa agctaagttt ctagaacaac	4440
ttgaagagca agaaaaaaga aagaatgaag aaatgcaaaa tgttcgaaca tctttgattg	4500
cggacaaca gaccaatfff aacactgttt taacaagaga gaaaatgaga aaagaaaaca	4560
taataaatga tcttagtgat aagttgaaaa gtacaatgca gcaacaagaa cgggataaag	4620
atgtgataga gtcactttct gaagatcgag ctcgtttgct tgaggaaaag aaaaagcttg	4680
aagaagaagt cagtaagttg cgcagtagca gttttgttcc ttcaccatat gtagctacag	4740
ccccagaact ttatggagct tgtgcacctg aactcccagg tgaatcagat agatccgctg	4800
tggaaacagc agatgaagga agagtggatt cagcaatgga gacaagcatg atgtctgtac	4860
aagaaaatat tcatatgttg tctgaagaaa aacagcggat aatgctgtta gaacgaacat	4920
tgcaattgaa agaagaagaa aataaacggt taaatcaaag actgatgtct cagagcatgt	4980
cttcagtatc ttcaaggcat tctgaaaaga tagctattag agattttcag gtgggagatt	5040
tggtactcat catcctagac gaacgccatg acaattatgt gttatttact gttagtctta	5100
cttttatattt tctacattca gagtctctac ctgccctgga tctcaaacca ggtgaggggtg	5160
cttcaggtgc atctagaaga ccctgggtac ttggaaaagt aatggaaaaa gaatactgtc	5220
aagccaaaaa ggcacaaaac agatttaaag ttcctttggg gacaaagttt tacagagtga	5280
aagccgtatc atggaataag aaagtataac ttatggacaa aattaatata ttctatgaca	5340
tttttttctg atttgtcctg cagtgtcat tcatcactcc aaaaacagca ggccatcttt	5400
ttatgcaaaa gtcagcgtga caatatactt cactgggtga catcgtttac tttttaactg	5460
gcttcatttt aggaataata aattcatcag aatccttggc tgaattaaaa tggtttttgt	5520
tttttggttt ttttttttac ccagacaact ctagaaatgc ggaccaaact acttcatttt	5580
ctcaaagggc ataccttgtg cattgtggct tatgatgagc catattaatt gcctgttaaa	5640
tatacactag cttgaactta gatgttaaatt gttattatta ccagcatttg tccttttgtg	5700
aaatcagtat cagaatactt gcaactctta acacattctt tataaaatgt ataaattatt	5760

cagaactatt taaaataaag aggagtgtta ttgcatgctg ataatcattt tgagtttgcc	5820
tcagtagata ctaaagcaaa ttgtttcagt ttttttaa at gccctttgat gtttcaaaaa	5880
aaaaaaggaa ctgtaatttg attgactgat ttttaagatca gccataagta atcagcaatc	5940
ttcaaaagca ctttcagtgg attgggtcatc tgggttctaa agggaagagt ctgtgctact	6000
aaccattttca aatgcagact caaaccttcc caacatcttt atgactctag aataatcata	6060
ttgatgaaat cgtaattcat ggttgagttt cagaacaaaa gatattcatt gcacattaac	6120
catttagagg tcatttaa at acaaaaatat tgtattgtaa aagaactgta caattttaaa	6180
acaataaaga tttgaacctg taaatgtgtg tgccttttaa agaaggatac atttttaata	6240
tatttgagtg attgctggga agtgtgaaaa tattgttatg tatcatatca aagagaaaca	6300
tgtttattac aaaaatgttc tttaactata tactatgtaa cagggtaaac agtgttatgt	6360
agaatagaat tgtgtaaact agatctttag agaagttgcc attgagcaaa gttattttaaa	6420
tgagttagtt gagttgatg agaattgttt gaggtttgtt gctagagAAC aataataaaa	6480
taattctttt tcagaaaata tttaatttct tcataaaaat aagttaaata tttttttaaa	6540
tatgtatatc taatagtaca aaatggaata aacatcatag tgtatagaaa actgaatttg	6600
acaagttaat gaataaatga acaaatgatt tcaaaa	6636

<210> 4  
 <211> 6518  
 <212> DNA  
 <213> Unknown

<220>  
 <223> mouse Rblccl gene

<400> 4	
ccgagtcgac aataacaaac cccacggcgg ccgcgacca gccctgccaa gctctcagt	60
cctcggccgg cggaactcggg tccccgcgcg gagccgagg gccggagcag cggtcgcgc	120
cgactcccat ccttccgggc ctgcgccggg actcggcggc tgggcgccga cggttgtgtc	180
ggttggcggc gccgcaggg cggttgatag ccgccgccga ggccagggcg gcggcagaag	240
atggtgcgga gggccgcgg ctgtgttgct gccgcggcg gaggagggcg tgccggttct	300
ctgagtttca ccagtaatgc cactcagttg ccaatatcaa gcaagcgc ataatagaat	360
tgtaatcttt taagaaaagt agtacttctc ttcacagtat ctggcggatc aacactggag	420
ggtgaggtgt cagcttccag aaagatcatc atgaagttat atgtgtttct ggttaacacc	480

ggaaccacgc tgacatttga cactgagcta actgtgcaaa ctgtggctga tcttaagcat	540
gccattcaaa gcaaatacaa gattgctatt cagcaccagg ttctgggtgg caatggagga	600
gaatgcatgg ctgcagatcg aagagtgtgt acttacagcg ctgggacgga cacaaatcca	660
atTTTTcttt ttaataaaga aatgatctta tgtgaccgtg cacctgctat tcctaaagct	720
acTTTTcaa cagaaaatga catggaaata aaagttgaag agtctcttat gatgcctgca	780
gttttccaca ctgttgcttc aaggacacag cttgcagtgg aaatgtatga cgttgccaag	840
aagctctgct ctttctgtga agggcttgtc catgatgaac atcttcagca ccaaggctgg	900
gctgcaatca tggccaatct ggaggactgt tcaaattcat accaaaaact tcttttcaag	960
tttgaaagta ttatttctga ttatcttcaa tccatagaag acatcaagtt aaaacttact	1020
catttaggaa ctgctgtttc agtaatggcc aagattccac tattggagtg cctaaccaga	1080
catagttaca gggaaatgttt gggaagaccg gattctttga atgaacatga aggctcagag	1140
aaagctgaga tgaaaagatc tactgaactg gtgctctctc ctgatatgcc tagaacaacg	1200
aacacatcct tggtaacctc atttcacaag tcaatggagc atgtagctcc agatcccacc	1260
ggtactgaac gtggcaaaga acttagggaa tcttgtcaaa gtactgtcca gcaagaagaa	1320
gcttcagtgg atgctaaaga cagtgatctg ccttttttta atgtttcttt gttagactgg	1380
ataaatgttc aagatagacc caatgatgtg gaatctctgg tcaggaagtg ctttgattct	1440
atgagcaggc ttgacccaaa gattattcaa ccatttatgt tagaatgcca tcaaactatt	1500
gccaaacttg ataatcagaa tatgaaagcc attaaagggc ttgaagatcg gctgtatgcc	1560
ttggaccaga tgattgctag ctgtagccgg ctggtaaagt aacagaaaga gcttgctcag	1620
ggatttttag ctaatcagat gagagctgaa aacttgaagg atgcatctgt gttacctgat	1680
ctgtgtctga gtcatgcaaa tcaactaatg attatgttgc aaaaccacag aaaactgttg	1740
gatattaaac agaagtgcac cactgccaaa caagagctag caaacaatct ccacgtcaga	1800
ctgaagtggg gttgttttgt gatgcttcat gctgatcaag atggagaaaa actgcaggca	1860
ctgctccgcc ttgtaataga gctgttagaa agagtcagaa ttgttgaggc tcttagtaca	1920
gttcctcaga tgtattgcct agctgttggt gaggttgtaa gaagaaaaat gttcattaa	1980
cactacagag agtgggctgg tgcttttagtc aaagacggaa aacaactata tgaagctgaa	2040
aagtcaaaaa gggaatcctt tgggaaatta tttaggaagt cttttttaag aaatcgtctg	2100
tttaaaggac tggactcctg gccttcctca ttttgtactc agaagcctcg aaaatttgac	2160

tgtgaacttc cagatatatc attaaaagat ttacagtttc ttcaatcatt ttgtccttca	2220
gaagtgcagc cattcctcag ggtcccccta ctttgtgact ttgaacctct acaccagcat	2280
gtacttgccc tacataattht ggtaaaagca gcacaaagtt tggatgaaat gtcacagact	2340
attacagatc tcctaaatga acaaaaggta tccacaagtc aggcattcccc acagtcagct	2400
gcttctccaa gaatagaaaag tacaacaggc attacaacca ctacctcacc aaaaactcct	2460
cctccactaa ctgttcagga caccttatgt ccggcagtgt gtcccttaga agaattatct	2520
ccagatagta tcgatgctca tacatttgat ttcgaaacca tctcccatcc aaacacagaa	2580
caacctgttc accaagcttc tatagacttg gattcattag cagaaagccc tgagtctgac	2640
tttatgtctg ctgtgaatga gtttgtgata gaagaaaatt tatcgtctcc aaacctata	2700
agtgatccac aaagtccaga aatgatggtg gagtcacttt actcttcagt catcaatgca	2760
atagatagta ggcgtatgca agacacaagt acacgtggaa acgagggctt tggggatcgg	2820
gctgctctac atgtccagct ggagaaatgc agagctgctg cacaagactc tcacaccagt	2880
atacaaacca tcaaggacga tctgtgccat ttcagaacat ttgtacaaaa agaacagtgt	2940
gacttagcaa attattttaa atgtacagct gtagaaataa gaaatattat tgaaaaagta	3000
aaatgttctc tagaaataac actaaaggaa aagcatcagc aagaactcca atctttaaaa	3060
attgagtatg aatgtaaaact tgatgctcta gtaaaagaca gtgaagaaaa tgtaataaaa	3120
atthttaaah tgaagaaaaa tttagtatcc cttgaagagg ctttacaaaa taaagacaat	3180
gaattcactt cgattaaaca tgaaaaggat gctattgtct gtgtgcagca agaaaaggat	3240
cagaagttgt tagagatgga aaagataatg catactcaac attgtgaaat taaagaactg	3300
aagcagtcac gagagatggc attagaagac ctgaaaaagc tgcattgatga aaaaatcgag	3360
tcattgagag ctgaatttca gtgcttagaa gaaaatcacc tgaaggaatt agaggacaca	3420
ctgcacatca ggcacacaca ggagtthgag aaagtthtga cagaccacaa tatgtctthg	3480
gagaaattaa aaaaagaaaa tcagcaaaga attgaccaga tgctagaatc tcattgcctca	3540
actattcagg aaaaagagca acagctgcag gagttgaaac tcaaagthtc tgactthtca	3600
gacattgagat gtaagthtga ggtthgaact gcactaaagg aagcagaaac agattgagata	3660
aagattcttg tggaagagag cagaacacag cagaaggaaa tgctgaagtc thtactthga	3720
caagagaccg aaaactthaag aacagaaata agtaaaactaa accaaaaaat tcattgataat	3780
aatgagagth accaggtggg thtgtcagag thtaagagct thaatgacaat tgaaaaagat	3840

cagtgcattt	cagagttaat	cagtagacat	gaagaagaat	ctaataact	taaggctgaa	3900
ttagacaatg	ttacatcttt	gcatcgccaa	gcatatgaaa	tagaaaaaaa	actgaaagaa	3960
caaatagttg	aattgcagac	tagattgaac	tcagaattga	gtgctcttga	aaaacagaaa	4020
gatgaaaaaa	ttaccaaca	agaagagaag	tatgaagcac	ttatccagaa	ccttgagaaa	4080
gacaaggaga	gactggtcaa	gaaccacgag	caagacaaag	aacacttaat	tcaggagctt	4140
aattttgaaa	aaaacaaagc	tgttcaaact	gcactagatg	aatttaaggt	ggagagagaa	4200
cttggtgaga	aagagttatt	agaaaaagtt	aaacatcttg	agaatcaaat	agccaaaact	4260
cctgcctttg	agtcagccag	agaagattct	tcaagcttag	ttgcggaact	tcaagagaaa	4320
cttcaagaag	aaaaagctaa	gtttctggaa	caacttgaag	aacaagagaa	aagaaagaat	4380
gaggaaatgc	aaaatgtcag	aacctctttg	attgctgagc	agcagaccaa	ctttaacaca	4440
gtcttaacaa	gagagaaaat	gaggaaagaa	aacataataa	atgatcttag	tgataagcta	4500
aaaagtacaa	tgacgcagca	agagcgggat	aaagatttga	tagagtcgct	ctctgaggac	4560
cgagctcggt	tgcttgaaga	gaagaagcag	cttgaagagg	aagtgagtaa	actccgcact	4620
agcagttttc	tttctcagc	acctgtggct	gcagccccag	agctctatgg	tgctgttgca	4680
cctgagctcc	caggggagcc	agagagatca	gtcatggaga	cggcagatga	aggaagactg	4740
gattccgcaa	tggagacaag	catgatgtct	gtccaagaaa	acatgttatc	tgaagagaag	4800
cagaggatca	tgctcctaga	acggacattg	cagttgaaag	aagaagaaaa	caagcggtta	4860
aatcaaagac	tgatgtctca	gagtttgtcc	tcagtctctt	caaggcattc	tgaaaaaata	4920
gccattagag	attttcaggt	gggagatttg	gttctcatca	tcctagatga	gcggcacgac	4980
aattatgtat	tgtttactgt	tagtcctact	ttatatattt	tgacttcaga	gtctcttcct	5040
gccctggatc	tcaaaccagg	tgagggagct	tcaggtgcat	ctagaagacc	ctgggtcctt	5100
gggaaagtaa	tggaaaagga	atactgtcaa	gccaaaaagg	cacaaaacag	atttaaagtt	5160
cctttgggga	caaagtttta	cagagtgaaa	gctgtgtcat	ggaataagaa	agtatagcca	5220
cagaagaaat	ctctacatct	cataccattt	ttgatttgtc	ctccagtgtc	gataaactac	5280
tctaaaaaca	gctggccatt	gttgggtttt	tttttgttgt	ttgtttgttt	gtttgttttt	5340
acaaaagtca	acataacaat	atacttcatt	ggtggactgc	acttaccttt	taagtggcta	5400
catcttagga	acaataaatt	tattaaaatt	cttggctgaa	tcaaaatggg	tttgttttgt	5460
ttccacccaa	ataactagaa	attcggacca	aaatagatgt	ttccaagggt	cagagcctgc	5520

actgtggctt gtgactagcc tcattagttg cctgttaata aacattagct gaatagttac	5580
cagtgttggtt accagcattt gtcctcttgt gaattcaaga gtcctcgac tctttaacat	5640
gttctttata aaatgtataa acccttccaa actattttaa gaggagtgtt attgcatgca	5700
gataatcata attttgagtt tgcctcagaa gactactaaa gcaaatttgt tcattttttt	5760
ttaaaaaaat gccctttaat gtttcaaaaa aaaataacag tgtaatttga ctgactttaa	5820
gatcagccat aaataatgag cagtcttcaa aagcactttt cacacagatc atctgggctc	5880
cagggaggaa gagtctgtgc cactgatgtt ttcaagtgc ggactcactc aaacctctca	5940
gcatcttagg actgtttcaa gtaatcatat tgatgaactc gtaattcatg gttgaccttc	6000
agaagaagat attcattgta tattaacatt tagaggatcat ttaaataaca aaagtctgta	6060
ttgtaaagga cctgtacaat ttttaagacaa taaagaattg aaagtgtaaa tgtgtgtgcc	6120
ttttaaaagt tacattttta atatattgcg tgatttctgg gaaaggtgaa aaaaatgttc	6180
tgtatcaaag agaaacctgt ttattaaaaa atgttgtttg taccctatgt aacagggtga	6240
agtgggtgttc tgtggaacag aacctgtaa actcaaggtt taaaagctgg cactgaacaa	6300
agatattgaa gtagctaggc tagttgattg gaaagagttt cttcagggtt gttgttagca	6360
gtaataaatg attctttttc agaaatatat aatttctcca taaaaataag ttggatatat	6420
ttataaatat gtaatctaata agaatgaaaa tggaataaac atagtgtata gaatacctaa	6480
ttcaaaaaca tattaatgaa taaacgaaca aatgatta	6518

<210> 5  
 <211> 20  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer sequence called CC1-S1

<400> 5	
gacgtaactg tatcagaggg	20

<210> 6  
 <211> 20  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer sequence called CC1-S2

<400> 6  
 tcagaggggtg aggtataagc 20

<210> 7  
 <211> 28  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer sequence called CC1-S3

<400> 7  
 atcatcatga agttatatgt atttctgg 28

<210> 8  
 <211> 21  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer sequence called CC1-ASP2

<400> 8  
 ttggccatta ctgaaactgc a 21

<210> 9  
 <211> 20  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer sequence called CC1-S4

<400> 9  
 tgtggaatct ttggtcagga 20

<210> 10  
 <211> 21  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer sequence called CC1-ASP1

<400> 10  
 taatccttgg atcaagcctg c 21

<210> 11  
 <211> 21  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer sequence called CC1-S5  
  
 <400> 11  
 tgtaccactg ccaaacaaga a 21  
  
 <210> 12  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called CC1-S6  
  
 <400> 12  
 cttcggaggt tcagccattc 20  
  
 <210> 13  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called CC1-S6R  
  
 <400> 13  
 tccatccttg gtgaagaagc 20  
  
 <210> 14  
 <211> 21  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called CC1-S7  
  
 <400> 14  
 tccccatcca aacatagaac a 21  
  
 <210> 15  
 <211> 21  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called CC1-S8  
  
 <400> 15  
 aaggaagacc tttgccactt t 21

<210> 16  
 <211> 22  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called CC1-S9  
  
 <400> 16  
 gaactgaagc agtcacgaga aa 22  
  
 <210> 17  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called CC1-S10  
  
 <400> 17  
 ttgtcagaca cgagatgcaa 20  
  
 <210> 18  
 <211> 22  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called CC1-S11  
  
 <400> 18  
 aaattatcag gtgggcttag ca 22  
  
 <210> 19  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called CC1-S  
  
 <400> 19  
 ccaggagcaa gacagagaac 20  
  
 <210> 20  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called CC1-AS

<400> 20  
 cgagctcgat cttcagaaag 20

<210> 21  
 <211> 20  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer sequence called CC1-AS5

<400> 21  
 tgcttgcttc cattgctgaa 20

<210> 22  
 <211> 20  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer sequence called CC1-AS4

<400> 22  
 ccaaattctcc cacctgaaaa 20

<210> 23  
 <211> 20  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer sequence called HCC22INTS

<400> 23  
 ctagacgaac gccatgacaa 20

<210> 24  
 <211> 23  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer sequence called HCC22INTAS

<400> 24  
 tggcttgaca gtattctttt tcc 23

<210> 25  
 <211> 21  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer sequence called CC1-AS2  
  
 <400> 25  
 tgagcactgc aggacaaatc a 21  
  
 <210> 26  
 <211> 21  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called CC1-AS1  
  
 <400> 26  
 tgatgaatga gcactgcagg a 21  
  
 <210> 27  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called RB1CC-RS1  
  
 <400> 27  
 cctccctgcc tcctagagtt 20  
  
 <210> 28  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called RB1CC-R4  
  
 <400> 28  
 tagtcctcgg cagcggttac 20  
  
 <210> 29  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called RB1CC-R3  
  
 <400> 29  
 aaactcagaa aaccggcaac 20

<210> 30  
 <211> 21  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called RB1CC-R2  
  
 <400> 30  
 tgccacagtt tgcactgtaa g 21  
  
 <210> 31  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called RB1CC-R1  
  
 <400> 31  
 tttccaatgc aagctgtgtc 20  
  
 <210> 32  
 <211> 21  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called RB1CC-RS2  
  
 <400> 32  
 gagtgaagc cgtatcatgg a 21  
  
 <210> 33  
 <211> 21  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called RB1CC-RS3  
  
 <400> 33  
 aatgcggacc aaactacttc a 21  
  
 <210> 34  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called on RB1CC-RS4

<400> 34  
tcagtggatt ggtcatctgg 20

<210> 35  
<211> 20  
<212> DNA  
<213> Artificial

<220>  
<223> artificially synthesized primer sequence called RB1CC-RS5

<400> 35  
tgattgctgg gaagtgtgaa 20

<210> 36  
<211> 23  
<212> DNA  
<213> Artificial

<220>  
<223> artificially synthesized primer sequence called RB1CC-RS6

<400> 36  
gagaattggt tgaggtttgt tgc 23

<210> 37  
<211> 20  
<212> DNA  
<213> Artificial

<220>  
<223> artificially synthesized primer sequence called RB1CC-R5

<400> 37  
ttgctcaatg gcaacttctc 20

<210> 38  
<211> 23  
<212> DNA  
<213> Artificial

<220>  
<223> artificially synthesized primer sequence called MMK3-1-S

<400> 38  
gggtgaggtg taagtcaca gaa 23

<210> 39  
<211> 21  
<212> DNA  
<213> Artificial

<220>  
 <223> artificially synthesized primer sequence called MMK3-2-S  
  
 <400> 39  
 tcttatgtga tcgtccacct g 21  
  
 <210> 40  
 <211> 23  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called MMK3-2-AS  
  
 <400> 40  
 caaaggattc cctttttgat ttt 23  
  
 <210> 41  
 <211> 26  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called MMK6-2-S  
  
 <400> 41  
 gctaatacaga agagagctga aaactt 26  
  
 <210> 42  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called MMK1-1-S  
  
 <400> 42  
 gatggtgatc tgcccttttt 20  
  
 <210> 43  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called MMK1-2-S  
  
 <400> 43  
 taagcatgcc attcaaagca 20

<210> 44  
 <211> 23  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called MMK15-1-S  
  
 <400> 44  
 tttctttata caggaagtc ttt 23

<210> 45  
 <211> 21  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called MMK15-2-AS  
  
 <400> 45  
 ttttcagaat gccttgaaga t 21

<210> 46  
 <211> 23  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called MMK31-2-S  
  
 <400> 46  
 aggataccat catcctagac gaa 23

<210> 47  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called MMK31-2-AS  
  
 <400> 47  
 cttaccaccc tcacctggtt 20

<210> 48  
 <211> 26  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called MMK40-S

<400> 48  
 ttttgtattt taagtttagg aactgc 26

<210> 49  
 <211> 23  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer sequence called MMK38-S

<400> 49  
 ataggataca aatccaattt ttc 23

<210> 50  
 <211> 27  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer sequence called MMK31-S

<400> 50  
 aaaatatagg atacaaatcc aatgaca 27

<210> 51  
 <211> 24  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer sequence called MMK36-S

<400> 51  
 aaaggatgca tctgtattac ctga 24

<210> 52  
 <211> 19  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer sequence called MMK340-S1

<400> 52  
 gccaacctgg aggactgtt 19

<210> 53  
 <211> 23  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer sequence called MCC-S1  
  
 <400> 53  
 ggttctctga gtttcaccag taa 23  
  
 <210> 54  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called MCC-S2  
  
 <400> 54  
 atcaacactg gagggtaggg 20  
  
 <210> 55  
 <211> 28  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called EcoCC1S3  
  
 <400> 55  
 atcatcatga agttatatgt gtttctgg 28  
  
 <210> 56  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called MCC-S7  
  
 <400> 56  
 gatgcctgca gttttccaca 20  
  
 <210> 57  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called MCC-S8  
  
 <400> 57  
 acgtggcaaa gaacttaggg 20

<210> 58  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called MCC-AS4  
  
 <400> 58  
 gcttcttctt gctggacagt 20  
  
 <210> 59  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called MCC-S11  
  
 <400> 59  
 ccttggacca gatgattgct 20  
  
 <210> 60  
 <211> 21  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called MCC-S9  
  
 <400> 60  
 ggggtcccctt actttgtgac t 21  
  
 <210> 61  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called MCC-AS8  
  
 <400> 61  
 catccaaact ttgtgctgct 20  
  
 <210> 62  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called MCC-S12

<400> 62  
 tgctgcacaa gactctcaca 20

<210> 63  
 <211> 21  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificialy synthesized primer sequence called MCC-AS6

<400> 63  
 ggcacagatc gtccttgatg g 21

<210> 64  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer sequence called MCC-S13

<400> 64  
 tgaacttgca ctaaaggaag ca 22

<210> 65  
 <211> 20  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer sequence called MCC-AS7

<400> 65  
 cagcatttcc ttctgctgtg 20

<210> 66  
 <211> 24  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer sequence called MCC-S14

<400> 66  
 tgagtgctct tgaaaaacag aaag 24

<210> 67  
 <211> 21  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer sequence called MCC-S15  
  
 <400> 67  
 ttgcggaact tcaagagaaa c 21

<210> 68  
 <211> 24  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer sequence called MIRB1CC-5  
  
 <400> 68  
 ctggaacaac ttgaagaaca agag 24

<210> 69  
 <211> 20  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer sequence called MIRB1CC-3  
  
 <400> 69  
 acgagctcgg tcctcagaga 20

<210> 70  
 <211> 20  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer sequence called MCC-S3  
  
 <400> 70  
 tcaggtggga gatttggttc 20

<210> 71  
 <211> 20  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer sequence called MCC-AS3  
  
 <400> 71  
 tgccgctcat ctaggatgat 20

<210> 72  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called MCC-AS2  
  
 <400> 72  
 cagcactgga ggacaaatca 20  
  
 <210> 73  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called MCC-AS1  
  
 <400> 73  
 agtcacaagc cacagtgcag 20  
  
 <210> 74  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called MCC-ASR1  
  
 <400> 74  
 tgctttgaaat ggcatgctta 20  
  
 <210> 75  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called MCC-ASR2  
  
 <400> 75  
 cctcaccctc cagtgttgat 20  
  
 <210> 76  
 <211> 18  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called MCC-ASR3

<400> 76  
 cctccgcacc atcttctg 18

<210> 77  
 <211> 18  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer sequence called INTRON1ASR

<400> 77  
 caggtcccc gtaggact 18

<210> 78  
 <211> 20  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer sequence called MCC-SR1

<400> 78  
 tcaggtggga gatttggttc 20

<210> 79  
 <211> 20  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized priemr sequence called MCC-SR2

<400> 79  
 ccagcatttg tcctcttggtg 20

<210> 80  
 <211> 21  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer sequence called MCC3=S3

<400> 80  
 ttttgagttt gcctcagaag a 21

<210> 81  
 <211> 20  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer sequence called MCC3-S4  
  
 <400> 81  
 tcggaattca tggttgacct 20  
  
 <210> 82  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called MCC3-AS2  
  
 <400> 82  
 tttcccagaa atcacgcaat 20  
  
 <210> 83  
 <211> 21  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called MCC3-AS13  
  
 <400> 83  
 tctttgttca gtgccagctt t 21  
  
 <210> 84  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer seuqnece called MCC15S  
  
 <400> 84  
 accaggtggg tttgtcagag 20  
  
 <210> 85  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <223> artificially synthesized primer sequence called MCC15AS  
  
 <400> 85  
 cttggcgatg caaagatgta 20  
  
 <210> 86  
 <211> 20

<212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called MCC-3S  
  
 <400> 86  
 aactggagg gtgaggtgtc 20

<210> 87  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called MCC-3AS  
  
 <400> 87  
 gtgtcaaagt tcagcgttgt 20

<210> 88  
 <211> 18  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called MINT1-S  
  
 <400> 88  
 gacggttgtg tcggttgt 18

<210> 89  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called MINT1-AS  
  
 <400> 89  
 ttggcaactg agtggcatta 20

<210> 90  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called MINT2-S0  
  
 <400> 90  
 tgccactcag ttgccaagta 20

<210> 91  
 <211> 22  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called MINT2-S  
  
 <400> 91  
 cacagtatct ggcggtaagt ca 22

<210> 92  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called MINT3-AS  
  
 <400> 92  
 cccagcgctg taagtacaca 20

<210> 93  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called MINT4-S  
  
 <400> 93  
 taagcatgcc attcaaagca 20

<210> 94  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called MINT4-AS  
  
 <400> 94  
 caggtgcacg gtcacataag 20

<210> 95  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer seuqnece called MINT5-S

<400> 95  
 gcagttttcc acactgttgc 20

<210> 96  
 <211> 20  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer sequence called MINT5-AS

<400> 96  
 ctccagattg gccatgattg 20

<210> 97  
 <211> 20  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer sequence called MINT6-S

<400> 97  
 gccaatctgg aggactgttc 20

<210> 98  
 <211> 20  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer sequence called MINT6-AS

<400> 98  
 agaatccggt cttcccaaac 20

<210> 99  
 <211> 21  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer sequence called MINT7-S

<400> 99  
 cccaatgatg tggaatctct g 21

<210> 100  
 <211> 20  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer sequence called MINT7-AS  
 <400> 100  
 agcaatcatc tggccaagg 20

<210> 101  
 <211> 19  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer sequence called MINT8-S  
 <400> 101  
 aagatcggct gtatgcctt 19

<210> 102  
 <211> 22  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer sequence called MINT8-AS  
 <400> 102  
 caacagtttt ctgtggtttt gc 22

<210> 103  
 <211> 21  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized priemr sequence called MINT9-S  
 <400> 103  
 ggatgcatct gtgttacctg a 21

<210> 104  
 <211> 20  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer sequence called MINT9-AS  
 <400> 104  
 gcctgcagtt tttctccatc 20

<210> 105  
 <211> 20  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> artificially synthesized primer sequence called MINT10-S  
  
 <400> 105  
 gctccgcctt gtaatagagc 20  
  
 <210> 106  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called MINT10-AS  
  
 <400> 106  
 ccaaaggatt ccctttttga 20  
  
 <210> 107  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called MINT11-S  
  
 <400> 107  
 gggctggtgc ttagtcaaa 20  
  
 <210> 108  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called MINT11-AS  
  
 <400> 108  
 aaaatgagga aggccaggag 20  
  
 <210> 109  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called MINT12-S

<400> 109  
 actcctggcc ttcctcattt 20

<210> 110  
 <211> 20  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer sequence called MINT12-AS

<400> 110  
 tgaggaatgg ctgcacttct 20

<210> 111  
 <211> 21  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer sequence called MINT13-S

<400> 111  
 gcctcgaaaa tttgactgtg a 21

<210> 112  
 <211> 21  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer sequence called MINT13-AS

<400> 112  
 tccaaacttt gtgctgcttt t 21

<210> 113  
 <211> 21  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer sequence called MINT14-S

<400> 113  
 aaaagcagca caaagtttgg a 21

<210> 114  
 <211> 20  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer sequence called MINT14-AS  
  
 <400> 114  
 tggaggagga gtttttgggtg 20  
  
 <210> 115  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called MINT15-S  
  
 <400> 115  
 ccacgagcaa gacaaagaac 20  
  
 <210> 116  
 <211> 21  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called MINT15-AS  
  
 <400> 116  
 tccgcaacta agcttgaaga a 21  
  
 <210> 117  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called MINT16-S  
  
 <400> 117  
 tgaggaaatg caaaatgtca 20  
  
 <210> 118  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized priemr sequence called MINT16-AS  
  
 <400> 118  
 gctcttgctg ctgcattgta 20

<210> 119  
 <211> 22  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called MINT17-S  
  
 <400> 119  
 aaagtacaat gcagcagcaa ga 22  
  
 <210> 120  
 <211> 21  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called MINT17-AS  
  
 <400> 120  
 tgctgaggaa agaaaactgc t 21  
  
 <210> 121  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called MINT18-S  
  
 <400> 121  
 agctctatgg tgcgtgtgc 19  
  
 <210> 122  
 <211> 21  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called MINT18-AS  
  
 <400> 122  
 gagcatgata ctctgcttct c 21  
  
 <210> 123  
 <211> 22  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> artificially synthesized primer sequence called MINT19-S

<400> 123  
 tctgaagaga agcagaggat ca 22

<210> 124  
 <211> 22  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer sequence calle MINT19-AS

<400> 124  
 cagtctttga tttaaccgct tg 22

<210> 125  
 <211> 24  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized priemr sequence called MINT20-S

<400> 125  
 cattgcagtt gaaagaagaa gaaa 24

<210> 126  
 <211> 21  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer sequence called MINT20-AS

<400> 126  
 tgccttgaag agactgagga c 21

<210> 127  
 <211> 22  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer sequence called MINT21-S

<400> 127  
 tctcttcaag gcattctgaa aa 22

<210> 128  
 <211> 20  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer sequence called MINT21-AS  
  
 <400> 128  
 atccagggca ggaagagact 20

<210> 129  
 <211> 20  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer sequence called MINT22-S  
  
 agcggcacga caattatgta 20

<210> 130  
 <211> 22  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer seuqnece called MINT22-AS  
  
 <400> 130  
 ttttccatta ctttcccaag ga 22

<210> 131  
 <211> 20  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer seuqnece called MINT23-S  
  
 <400> 131  
 ctgggtcctt gggaaagtaa 20

<210> 132  
 <211> 20  
 <212> DNA  
 <213> Artificial

<220>  
 <223> artificially synthesized primer seuqnece called MINT23-AS  
  
 <400> 132  
 cagcactgga ggacaaatca 20